

---

# CIRCULATION

*The Journal of the American Heart Association*

---

VOLUME V

January-June, 1952



GRUNE & STRATTON, INC.

NEW YORK

---

# VOLUME V

January-June, 1952

# CIRCULATION

The Journal of the American Heart Association

## No. 1

Chest Pain in Association with Pulmonary Hypertension. Its Similarity to the Pain of Coronary Disease. . . . .	<i>William N. Viar and T. R. Harrison</i>	1
A Study of the Digitalis-like Action of Thevetoidin in Man <i>Ignacio Chavez, Rafael Méndez and Leonardo O. Chait</i>		12
The Treatment of Hypertension with Hexamethonium. . . . .	<i>Edward D. Freis, Frank A. Finnerty, Jr., Harold W. Schnaper and Captain Robert L. Johnson</i>	20
The Effect of 1-Hydrazinophthalazine in Hypertension. . . . .	<i>Henry A. Schroeder</i>	28
The Effects of the Valsalva-like Maneuver upon the Circulation in Normal Individuals and Patients with Mitral Stenosis. . . . .	<i>H. Goldberg, E. I. Elisberg and L. N. Katz</i>	38
Epicardial Electrocardiograms Recorded in the Course of Seven Cases of Heart Surgery <i>Georges J. Carouso, Henri A. Chevalier, B. Isabelle Latscha and Jean Lenègre</i>		48
The Distribution of Body Fluids in Congestive Heart Failure. IV. Exchanges in Patients, Refractory to Mercurial Diuretics, Treated with Sodium and Potassium <i>J. R. Elkinton, R. D. Squires and L. W. Bluemle, Jr.</i>		58
The Size of the Heart during the Course of Essential Hypertension <i>Morris Kleinfeld and Jules Redish</i>		74
Quantitative Studies in Man of the Cardiovascular Effects of Reflex Vagal Stimulation Produced by Carotid Sinus Pressure. I. Localization of an Increased Effect in a Patient with Angina Pectoris. . . . .	<i>Arthur J. Linenthal</i>	81
Mercurial Diuresis in Edematous Individuals. <i>Gerson T. Lesser, Marcelle F. Dunning, Frederick H. Epstein and Eugene Y. Berger</i>		85
Norepinephrine and Epinephrine Effect on Renal Hemodynamics. With Particular Reference to the Possibility of Vascular Shunting and Decreasing the Number of Active Glomeruli. . . . .	<i>John H. Moyer and Carroll A. Handley</i>	91
Clinical Progress: Atherosclerosis. A Symposium. . . . .	<i>Edgar V. Allen, Guest Editor</i>	98
Experimental Atherosclerosis. . . . .	<i>Louis N. Katz</i>	101
Human Atherosclerosis and the Diet. . . . .	<i>Ansel Keys, M.D.</i>	115
Blood Lipids and Human Atherosclerosis <i>John W. Gofman, Hardin B. Jones, Thomas P. Lyon, Frank Lindgren, Beverly Strisower, David Colman and Virgil Herring</i>		119
Abstracts. . . . .		135
Book Reviews. . . . .		156
American Heart Association. . . . .		160

## No. 2

The George E. Brown Memorial Lecture. The Pathogenesis and Treatment of Thrombosis. . . . .	<i>Irving S. Wright</i>	161
Acute Atypical Coronary Artery Insufficiency. Incidence and Clinical Course <i>David Littman and J. H. Barr, Jr.</i>		189

The Therapeutic Range of Gitalin (Amorphous) Compared with Other Digitalis Preparations. . . . .	<i>Robert C. Batterman, Arthur C. DeGraff and O. Alan Rose</i>	201
An Evaluation of Replacement Fluids in Laboratory Animals following Control Hemorrhage. . . . .	<i>A. Ervine Morrison, Jr., John S. Lundy and Hiram E. Essex</i>	208
The Flicker Fusion Frequency and Its Response to Nitroglycerin in Normal Subjects and in Patients with Cardiovascular Disease. . . . .	<i>Ansel Keys and Ernst Simonson</i>	215
Factors Influencing Cerebral Blood Flow and Metabolism. A Review	<i>Peritz Scheinberg and Harold W. Jayne</i>	225
The Spatial Vectorcardiogram Obtained by Use of a Trihedron and Its Scalar Comparisons. . . . .	<i>Pierre W. Duchosal and Jean R. Groscurin</i>	237
The Value of High Fidelity Electrocardiography Using the Cathode Ray Oscillograph and an Expanded Time Scale. . . . .	<i>Paul H. Langner, Jr.</i>	249
A Technic of Vascular Catheterization with Small Plastic Catheters, Its Utilization to Measure the Arterial Pulse Wave Velocity in Man	<i>Truman G. Schnabel, Jr., Hugh F. Fitzpatrick, Lysle H. Peterson, William J. Rashkind, Daniel Talley, III and Robert L. Raphael</i>	257
The Pulmonary Vascular Responses to Short-Term Hypoxia in Human Subjects	<i>Joseph T. Doyle, Joseph S. Wilson and James V. Warren</i>	263
The Effects of Work on the Pulmonary Circulation in Mitral Stenosis	<i>Harald Eliasch, Geoffrey Wade and Lars Werkö</i>	271
Serum Cholinesterase Activity and Arterial Blood Pressure	<i>Louis J. Vorhaus, II, M.D.</i>	279
Dihydrogenated Ergot Alkaloids in the Treatment of Essential Hypertension	<i>Homer J. Dupuy, John Signorelli and Albert M. Attyah</i>	285
Abdominal Aortic Aneurysm with Rupture into the Inferior Vena Cava	<i>William N. Viar and Thomas A. Lombardo</i>	287
Clinical Progress: Surgery for Mitral Stenosis. A Review of Progress. .	<i>Edward F. Bland</i>	290
Abstracts. . . . .		300
American Heart Association. . . . .		317

## No. 3

The Henry Jackson Memorial Lecture. Dynamics of Ventricular Contraction under Abnormal Conditions. . . . .	<i>Carl J. Wiggers</i>	321
The Responsibility of the Physician in the Selection of Patients with Mitral Stenosis for Surgical Treatment. . . . .	<i>Dwight E. Harken, Laurence B. Ellis, Lewis Dexter, Robert E. Farrand and James F. Dickson, III</i>	349
Alcohol Vapor by Inhalation in the Treatment of Acute Pulmonary Edema	<i>Aldo A. Luisada, Morton A. Goldmann and Ruth Weyl</i>	363
Comparison of the Circulatory Effects of Epinephrine and Norepinephrine	<i>Khalil G. Wakim and Hiram E. Essex</i>	370
Pressor Substances in Arterial Hypertension. IV. Quantitative and Qualitative Studies of Pherentasin. . . . .	<i>Dean F. Davies, Norman S. Olsen and Henry A. Schroeder</i>	380
Influence of Thyroidal Function on Vascular Reactivity in Dogs	<i>Irvine H. Page and James W. McCubbin</i>	390
Effect of Athyroid State on Vascular Reactivity and Arterial Pressure in Neurogenic and Renal Hypertensive Dogs. . . . .	<i>James W. McCubbin and Irvine H. Page</i>	397
The Relationship of Serum Lipoproteins to Atherosclerosis in the Cholesterol-Fed Alloxanized Rabbit. . . . .	<i>Frank T. Pierce, Jr.</i>	401
The Tricardiograph: A Rapid Screening Method for Cardiac Disease	<i>J. Leonard Brandt, William Dock, Robert Landsman and Charles Passanant</i>	408

The Peripheral Vascular Reactivity of Potassium-Deficient Rats <i>Ray H. Rosenman, S. Charles Freed and Meyer Friedman</i>	412
Effect of Potassium Administration on (1) Peripheral Vascular Reactivity and (2) Blood Pressure of the Potassium-Deficient Rat <i>Meyer Friedman, S. Charles Freed and Ray H. Rosenman</i>	415
Hepatic Circulation in Cirrhosis of the Liver <i>S. E. Bradley, F. J. Ingelfinger and G. P. Bradley</i>	419
A Newly Modified Electromagnetic Blood Flowmeter Capable of High Flow Registration..... <i>Alfred W. Richardson, Adam B. Denison and Harold D. Green</i>	430
The Effect of Posture on Hypertension Induced by Sympathomimetic Amines in Man <i>A. Littman, R. M. Gunnar, M. I. Grossman and R. Casas</i>	437
The Q Wave in Precordial Electrocardiograms Overlying the Hypertrophied Right Ventricle: Intracavity Leads <i>Noble O. Fowler, Richard N. Westcott and Ralph C. Scott</i>	441
Rupture of an Aortic Aneurysm into the Pulmonary Artery. A Case Report <i>Curtis H. Carter, William N. Agostas and V. P. Sydenstricker</i>	449
Clinical Progress: Needless Restrictions Imposed on Cardiac Patients <i>Robert L. Levy</i>	454
Abstracts.....	462
American Heart Association.....	479

## No. 4

The Effect of Aging and of the Development of Disease on the Ballistocardiogram. A Study of Eighty Subjects, Originally Healthy, Followed from Ten to Fourteen Years..... <i>Isaac Starr and E. A. Hildreth</i>	481
The Tissue Distribution and Excretion of Radioactive Digitoxin. Studies on Normal Rats and Cats, and Rats with Dietary-Induced Myocardial Lesions <i>C. S. Fischer, A. Sjoerdsma and R. Johnson</i>	496
The George Fahr Lecture. Certain Mechanical Peculiarities of the Human Cardiac Pump in Normal and Diseased States <i>G. E. Burch, C. T. Ray and J. A. Cronwich</i>	504
Obesity, Fat Metabolism and Cardiovascular Disease <i>John W. Gofman and Hardin B. Jones</i>	574
Studies in Experimental Pericardial Tamponade. Effects on Intravascular Pressures and Cardiac Output <i>James Metcalfe, John W. Woodbury, Victor Richards and C. Sidney Burwell</i>	518
Use of a Combination of Anion and Cation Exchange Resins in the Treatment of Edema and Ascites..... <i>B. L. Martz, K. G. Kohlstaedt and O. M. Helmer</i>	524
Studies of Plasma Quinidine Content. III. The Value of Delayed Absorptive Coated Tablets in Oral Quinidine Therapy <i>John J. Sampson, Harry Foreman and Bertram C. Solomon</i>	534
An Etiologic Concept of Atherosclerosis Based on Study of Intimal Alterations after Shock..... <i>O. J. Pollak</i>	539
The Effects of Intravenous Procaine and Procaine Amide (Pronestyl) upon Ectopic Ventricular Tachycardia Accompanying Acute Myocardial Infarction <i>A. Sidney Harris, Antonio Estandia, Tedroe J. Ford, Jr., Herbert T. Smith, Roy W. Olsen and Rex F. Tillotson</i>	551
The Electrocardiogram in Heart Disease Detection. A Comparison of the Multiple and Single Lead Procedures..... <i>T. R. Dawber, W. B. Kannel, D. E. Love and R. B. Streeper</i>	559

# CONTENTS OF VOLUME V

v

Vasodilator Effects of a Substance Present in Normal Human Urine in Comparison with the Effect of Methacholine and Sodium Nitrite. A Statistical Analysis of Reliability of the Method of Assay <i>Harold D. Green, J. Maxwell Little, Clifford G. Gaddy, Lewis T. Franklin and Howard H. Wayne</i>	567
The Effect of Sympathectomy for Essential Hypertension on the Hallucal Circulation <i>Milton Mendlowitz and Arthur S. W. Touroff</i>	577
The Factors Influencing the Circulation Time <i>Morton Lee Pearce, Alvin E. Lewis and Melvin R. Kaplan</i>	583
Observations Concerning the Metabolism of Cholesterol in the Hypo- and Hyperthyroid Rat <i>Ray H. Rosenman, Meyer Friedman and Sanford O. Byers</i>	589
Tissue Clearance as a Measure of Nutritive Blood Flow and the Effect of Lumbar Sympathetic Block upon Such Measures in Calf Muscle <i>Samuel I. Rapaport, Albert Saul, Chester Hyman and M. E. Morton</i>	594
The Abnormal Serum Lipid Pattern in Patients with Coronary Arteriosclerosis <i>Alfred Steiner, Forrest E. Kendall and James A. L. Mathers</i>	605
Clinical Progress: The Functional Importance of Coronary Collaterals. <i>Carl J. Wiggers</i>	609
Abstracts	616
Book Reviews	634
American Heart Association	636

## No. 5

Spontaneous Atherosclerosis in the Rabbit	<i>Joseph H. Bragdon</i>	641
Mechanism of Iodide Action on Cholesterol Metabolism <i>Helen B. Brown and Irvine H. Page</i>		647
Changes in Excretion of Intestinal Cholesterol and Sterol Digitonides in Hyper- and Hypothyroidism <i>Meyer Friedman, Sanford O. Byers and Ray H. Rosenman</i>		657
Intra-arterial Histamine in the Treatment of Occlusive Peripheral Arterial Disease <i>John A. Dixon, W. J. Merle Scott and Marvin A. Epstein</i>		661
Endarteriectomy, or Surgical Restoration of the Lumen of an Obstructed Artery in Arteriosclerosis Obliterans. A Preliminary Report <i>A. Núñez Núñez, B. Milanés and J. Rodríguez Iñigo</i>		670
Cerebrovascular Thrombosis in Patients with Buerger's Disease. <i>Heinz I. Lippmann</i>		680
The Syndrome of Short P-R Interval, Normal QRS Complex and Paroxysmal Rapid Heart Action <i>Bernard Lown, William F. Ganong and Samuel A. Levine</i>		693
Indications for Bishydroxycoumarin (Dicumarol) in Acute Myocardial Infarction <i>Henry I. Russek, Burton L. Zohman, Alexander A. Doerner, Allen S. Russek and LaVere G. White</i>		707
Frontal and Sagittal Electrocardiograms of Normal and Hypertensive Subjects during an Experimentally Produced Phase of Lowered Blood Pressure <i>Joseph Brumlik and Charles E. Kossmann</i>		712
Congenital Aneurysmal Defect of the Membranous Portion of the Ventricular Septum Associated with Heart Block, Ventricular Flutter, Adams-Stokes Syndrome and Death <i>Richard J. Clark and Paul D. White</i>		725
Arterial Hypertension in Dogs. I. Methods. <i>Henry A. Schroeder and Melvin L. Goldman</i>		730
The Effect on Blood Pressure in the Right Heart, Pulmonary Artery and Systemic Artery of Cardiac Standstill Produced by Carotid Sinus Stimulation <i>Charles V. Dowling, Warren W. Smith, Adolph R. Berger and Roy E. Albert</i>		742

Cation Exchange Resin in the Treatment of Congestive Heart Failure. I. Electrolyte Exchanges during Initial Periods of Resin Therapy <i>J. R. Elkinton, R. D. Squires and W. C. Klingensmith, Jr.</i>	747
Tissue Cations and Water in Arterial Hypertension <i>Louis Tobian, Jr. and John T. Binion</i>	754
Heart Failure and Pulmonary Edema Produced by Certain Neurologic Stimuli <i>Robert Paine, John R. Smith, Harvey R. Butcher and Frank A. Howard</i>	759
Death in Potassium Deficiency. Report of a Case Including Morphologic Findings <i>John D. Keye, Jr.</i>	766
Clinical Progress: The Specific Treatment of Syphilitic Aortitis <i>R. H. Kampmeier and Hugh J. Morgan</i>	771
Abstracts.....	779
Book Reviews.....	798
American Heart Association.....	800

## No. 6

Revascularization of the Heart. A Study of Mortality and Infarcts following Multiple Coronary Artery Ligation..... <i>Richard S. Hahn and Claude S. Beck</i>	801
Revascularization of the Heart. Histologic Changes after Arterialization of the Coronary Sinus..... <i>Richard S. Hahn and Maurice Kim</i>	810
Dynamic Responses of the Right Ventricle following Extensive Damage by Cauterization..... <i>Abraham Kagan</i>	816
The Effects of Increased Intracranial Pressure on the Pulmonary Circulation in Relation to Pulmonary Edema..... <i>William Harrison and Averill A. Liebow</i>	824
Clinical Evaluation of 1-Hydrazinophthalazine (C-5968) in Hypertension. With Special Reference to Alternating Treatment with Hexamethonium <i>Robert L. Johnson, Edward D. Freis and Harold W. Schnaper</i>	833
Cation Exchange Resin in the Treatment of Congestive Heart Failure. II. Clinical Effectiveness and Chemical Complications during Prolonged Periods of Use <i>W. C. Klingensmith, Jr. and J. R. Elkinton</i>	842
The Use of Crystalline Visammin in the Treatment of Angina Pectoris. <i>L. A. Nalcfski, W. B. Rudy and N. C. Gilbert</i>	851
Surgical Closure of an Aortic Septal Defect..... <i>Robert E. Gross</i>	858
A Study of Factors Related to Effects of Quinidine in Experimental Auricular Flutter <i>Barbara B. Brown</i>	864
Observations on the Atria of the Human Heart by Direct and Semidirect Electrocardiography..... <i>R. Wenger and D. Hofmann-Credner</i>	870
Certain Inevitable Relationships among the "Unipolar" Extremity Leads <i>Paul H. Langner, Jr., J. Malvern Benjamin, Jr. and Samuel R. Moore</i>	878
Studies Utilizing the Portable Electromagnetic Ballistocardiograph. II. The Ballistocardiogram as a Means of Determining Nicotine Sensitivity <i>Harry Mandelbaum and Robert A. Mandelbaum</i>	885
The Low Frequency Velocity Measurement Ballistocardiograph <i>J. E. Smith and Samuel Bryan</i>	892
Nutritional Factors in Hemodynamics. II. Hypertension during Pteroylglutamic Acid Administration in Albino Rats <i>Richard E. Lee, Sachiko Tanaka and Elizabeth A. Holze</i>	903
The Water and Electrolyte Content of the Human Heart in Congestive Heart Failure with and without Digitalization..... <i>Norman E. Clarke and Robert E. Mosher</i>	907



# CONTENTS OF VOLUME V

vii

The Measurement of Total "Sodium Space" and Total Body Sodium in Normal Individuals and in Patients with Cardiac Edema. . . . .	<i>George F. Warner, Ernest L. Dobson, Caroline E. Rodgers, Muriel E. Johnston and Nello Pace</i>	915
Thrombocytic Acroangiothrombosis. Febrile Anemia, Thrombocytopenia, and Thromboses of Damaged Capillaries and Arterioles. . . . .	<i>Hall S. Tacket and Russell S. Jones</i>	920
Clinical Progress: The Anesthetic Management of Patients with Heart Disease	<i>Robert D. Dripps and Leroy D. Vandam</i>	927
American Heart Association Heart Models in Health and Disease. . . . .		937
Abstracts. . . . .		941
Book Reviews. . . . .		957
American Heart Association. . . . .		958

# INDEX OF AUTHORS

- Agostas, W. N., 449  
 Albert, R. E., 742  
 Allen, E. V., 98  
 Attyah, A. M., 285
- Barr, J. H., Jr., 189  
 Batterman, R. C., 201  
 Beck, C. S., 801  
 Benjamin, J. M., Jr., 878  
 Berger, A. R., 742  
 Berger, E. Y., 85  
 Binion, J. T., 754  
 Bland, E. F., 290  
 Bluemle, L. W., Jr., 58  
 Bradley, G. P., 419  
 Bradley, S. E., 419  
 Bragdon, J. H., 641  
 Brandt, J. L., 408  
 Brown, B. B., 864  
 Brown, H. B., 647  
 Brumlik, J., 712  
 Bryan, S., 892  
 Burch, G. E., 504  
 Burwell, C. S., 518  
 Butcher, H. R., 750  
 Byers, S. O., 589, 657
- Carouso, G. J., 48  
 Carter, C. H., 449  
 Casas, R., 437  
 Chait, L. O., 12  
 Chavez, I., 12  
 Chevalier, H. A., 48  
 Clark, R. J., 725  
 Clarke, N. E., 907  
 Colman, D., 119  
 Cronvich, J. A., 504
- Davies, D. F., 380  
 Dawber, T. R., 559  
 DeGraff, A. C., 201  
 Denison, A. B., 430  
 Dexter, L., 349  
 Dickson, J. F., III, 349  
 Dixon, J. A., 661  
 Dobson, E. L., 915  
 Dock, W., 408  
 Doerner, A. A., 707  
 Dowling, C. V., 742  
 Doyle, J. T., 263  
 Dripps, R. D., 927  
 Duchosal, P. W., 237  
 Dunning, M. F., 85  
 Dupuy, H. J., 285
- Eliash, H., 271  
 Elisberg, E. I., 38  
 Elkinton, J. R., 58, 747, 842  
 Ellis, L. B., 349  
 Epstein, F. H., 85  
 Epstein, M. A., 661  
 Essex, H. E., 208, 370  
 Estandía, A., 551
- Farrand, R. E., 349  
 Finnerty, F. A., Jr., 20  
 Fischer, C. S., 496  
 Fitzpatrick, H. F., 257  
 Ford, T. J., Jr., 551  
 Foreman, H., 534  
 Fowler, N. O., 441
- Franklin, L. T., 567  
 Freed, S. C., 412, 415  
 Freis, E. D., 20, 833  
 Friedman, M., 412, 415, 589, 657
- Gaddy, C. G., 567  
 Ganong, W. F., 693  
 Gilbert, N. C., 851  
 Gofman, J. W., 119, 574  
 Goldberg, H., 38  
 Goldman, M. L., 730  
 Goldmann, M. A., 363  
 Green, H. D., 430, 567  
 Grosgrurin, J. R., 237  
 Gross, R. E., 858  
 Grossman, M. I., 437  
 Gunnar, R. M., 437
- Hahn, R. S., 801, 810  
 Handley, C. A., 91  
 Harken, D. E., 349  
 Harris, A. S., 551  
 Harrison, T. R., 1  
 Harrison, W., 824  
 Helmer, O. M., 524  
 Herring, V., 119  
 Hildreth, E. A., 481  
 Hofmann-Credner, D., 870  
 Holze, E. A., 903  
 Howard, F. A., 759  
 Hyman, C., 594
- Ingelfinger, F. J., 419  
 Inigo, J. R., 670
- Jayne, H. W., 225  
 Johnson, R., 496  
 Johnson, R. L., Captain, 20, 833  
 Johnston, M. E., 915  
 Jones, H. B., 119, 574  
 Jones, R. S., 920
- Kagan, A., 816  
 Kampmeier, R. H., 771  
 Kannel, W. B., 559  
 Kaplan, M. R., 583  
 Katz, L. N., 38, 101  
 Kendall, F. E., 605  
 Keye, J. D., Jr., 766  
 Keys, A., 115, 215  
 Kim, M., 810  
 Kleinfeld, M., 74  
 Klingensmith, W. C., Jr., 747, 842  
 Kohlstaedt, K. G., 524  
 Kossmann, C. E., 712
- Langner, P. H., Jr., 878  
 Landsman, R., 408  
 Langner, P. H., Jr., 249  
 Latscha, B., 48  
 Lee, R. C., 903  
 Lengre, J., 48  
 Lesser, G. T., 85  
 Levine, S. A., 693  
 Levy, R. L., 454  
 Lewis, A. E., 583  
 Liebow, A. A., 824  
 Lindgren, F., 119  
 Linenthal, A. J., 81  
 Lippmann, H. I., 680  
 Little, J. M., 567
- Littman, A., 437  
 Littman, D., 189  
 Lombardo, T. A., 287  
 Love, D. E., 559  
 Lown, B., 693  
 Luisada, A. A., 363  
 Lundy, J. S., 208  
 Lyon, T. P., 119
- Mandelbaum, H., 885  
 Mandelbaum, R. A., 885  
 Martz, B. L., 524  
 Mathers, J. A. L., 605  
 McCubbin, J. W., 390, 397  
 Méndez, R., 12  
 Mendlowitz, M., 577  
 Metcalfe, J., 518  
 Milanés, B., 670  
 Moore, S. R., 878  
 Morgan, H. J., 771  
 Morrison, A. E., Jr., 208  
 Morton, M. E., 594  
 Mosher, R. E., 907  
 Moyer, J. H., 91
- Nalefski, L. A., 851  
 Núñez Núñez, A., 670
- Olsen, N. S., 380  
 Olsen, R. W., 551
- Pace, N., 915  
 Page, I. H., 390, 397, 647  
 Paine, R., 759  
 Passannante, C., 408  
 Pearce, M. L., 583  
 Peterson, L. H., 257  
 Pierce, F. T., Jr., 401  
 Pollak, O. J., 539
- Rapaport, S. I., 504  
 Raphael, R. L., 257  
 Rashkind, W. J., 257  
 Ray, C. T., 504  
 Redish, J., 74  
 Richards, V., 518  
 Richardson, A. W., 430  
 Rodgers, C. E., 915  
 Rose, O. A., 201  
 Rosenman, R. H., 412, 415, 589, 657  
 Rudy, W. B., 851  
 Russek, A. S., 707  
 Russek, H. I., 707
- Sampson, J. J., 534  
 Saul, A., 594  
 Scheinberg, P., 225  
 Schnabel, T. G., Jr., 257  
 Schnaper, H. W., 20, 833  
 Schroeder, H. A., 28, 380, 730  
 Scott, R. C., 441  
 Scott, W. J. M., 661  
 Signorelli, J., 285  
 Simonson, E., 215  
 Sjoerdsma, A., 496  
 Smith, H. T., 551  
 Smith, J. E., 892  
 Smith, J. R., 759  
 Smith, W. W., 742  
 Solomon, B. C., 534



# INDEX OF AUTHORS

ix

Squires, R. D., 58, 747  
 Starr, I., 481  
 Steiner, A., 605  
 Streeper, R. B., 559  
 Strisower, B., 119  
 Sydenstricker, V. P., 449

Tacket, H. S., 920  
 Talley, D., III, 257  
 Tanaka, S., 903  
 Tillotson, R. F., 551

Tobian, L., Jr., 754  
 Touroff, A. S. W., 577

Vandam, L. D., 927  
 Viar, W. N., 1, 287  
 Vorhaus, L. J., II, 279

Wade, G., 271  
 Wakim, K. G., 370  
 Warner, G. F., 915  
 Warren, J. V., 263  
 Wayne, H. H., 567

Wenger, R., 870  
 Werkö, L., 271  
 Westcott, R. N., 441  
 Weyl, R., 363  
 White, L. G., 707  
 White, P. D., 725  
 Wiggers, C. J., 321, 609  
 Wilson, J. S., 263  
 Woodbury, J. W., 518  
 Wright, I. S., 161  
 Zohman, B. L., 707

# INDEX OF SUBJECTS

(Page numbers in italics refer to abstracts)

- Accelerator globulin**, 162
- Acetylcholine**, 471
  - and cardiac excitability, 311
- Acetylthioethanol**, 12
- Acetylthioethanol**, 18
- Ac-globulin**, 162
- Acidosis**
  - and cerebral circulation, 229-30
  - due to chloride, during resin therapy, 846-47, 848
  - due to exchange resin, 527, 531
  - respiratory, 928, 935
- Aconitine**, auricular flutter due to, 868
- Acroangiostrombosis**, thrombocytocytic, 920-26
- Acromegaly**, and the heart, 309
- ACTH**
  - and atherogenesis, 111
  - and blood coagulation, 173
  - and cerebral metabolism, 233
  - for periarthritis nodosa, 312
  - and P-R interval, 703
  - for rheumatic carditis, 621
  - for rheumatic fever, 153
- Adams - Stokes syndrome**, with congenital aneurysm of ventricular septum, 725-29
- Addison's disease**, and P-R interval, 695, 703
- Adenosine triphosphate**, phosphorylation of, by myosin B, 153
- Adhesiveness**, of platelets, 168-69
- and atherogenesis, 111
- cortex of, and adrenal medullary hormones, 786
- in experimental renal hypertension, 949
- terminal insufficiency of, and circulatory factors, 140
- Adrenalectomy**, subtotal, for hypertension, 469, 950
- Adrenaline**, 471, 760-61
  - and cardiac excitability, 311
  - for pulmonary hypertensive pain, 9
  - vascular reactivity to, after thyroidectomy, 391
- Adrenocorticotrophic hormone**. *See* ACTH
- Aerobacter aerogenes**, bacterial endocarditis due to, 135
- Age (of patient)**
  - and atherosclerosis, 548
  - and ballistocardiography, 481-95
  - as contraindication to surgery for mitral stenosis, 360
  - and hypertension, 142
  - and pulse wave velocity, 258, 259
  - and serum cholesterol in Aleut, 627
  - and serum lipids in coronary arteriosclerosis, 607
  - and sodium space, 917
  - and subendocardial necrosis, 193-95
  - and syndrome of short P-R, normal QRS, and paroxysmal tachycardia, 698
  - and total body sodium, 629
- See also* Geriatrics
- Agglutinin**, cold precipitable, 171-73
- Aging**, and atherosclerosis, 101, 111-12
- Air embolism**, during peritoneoscopy, 629
- Air travel**, and heart disease, 455-56
- Albumin**, serum, as replacement fluid after hemorrhage, 209
- Alcohol**, inhalation of, for pulmonary edema, 363-69
- Aleut**, serum cholesterol in, 627
- Alkaloid**
  - dihydrogenated, of ergot, 150, 285-86
  - of veratrum viride, for essential hypertension, 306
- Alkalosis**
  - hyperventilatory, 631
  - hypochloremic, 457
- Allergy**, thrombocytic acroangiostrombosis as, 925-26
- Alternation**, ventricular, 305, 335-37
- Aluminum hydroxide gel**, and atherogenesis, 107
- Amberlite IRC-60**, 748
- Ambient vibration interference**, 896
- American Heart Association, Inc.**
  - on animal experimentation, 639
  - annual elections, 958
  - annual meeting, 639
  - schedule, 480
  - board of directors, 959
  - central Ohio fellowship, 640
  - council for high blood pressure research, 639
  - Gold Heart awards, 959
  - heart fund, 160
  - heart models, 479, 937-40
  - Interamerican Congress, 160
  - new medical director, 960
  - officers, 958
  - revised classification chart, 960
  - scientific sessions, titles of papers to be read, 636-39
  - staff conference, 480
  - Vermont heart association, 480
- Aminophylline**
  - cerebral vascular constriction due to, 232
  - for pulmonary hypertensive pain, 9
- Ammonium chloride**
  - in hyponatremic congestive heart failure, 72
  - and Mercuhydrin diuresis, 86
- Amyloidosis**, of heart, 308
- Analgesia**, spinal, hypotensive states of, 617
- Anaphylaxis**, electrocardiography in, 138, 946
- Anastomosis**, of inferior pulmonary vein to azygos vein for mitral stenosis, 353-54
- Anatenol**, 306
- Anatomy**, cardiovascular, angiocardigraphic study, 154
- Anemia**
  - of acute blood loss, and cerebral circulation, 230
  - in cancer, 788
  - pernicious, and cerebral circulation, 232-33
- Anesthesia**
  - and cardiac output, 143
  - in endarterectomy, 671
  - in heart disease, 927-36
  - for mitral commissurotomy, 154
  - peripheral circulation during, 795
  - and renal function, 788
  - sodium Evipan, electrocardiography after, 623
  - spinal, hypotensive effect of, 950
  - in surgery for mitral stenosis, 356
  - due to Thiopental, and cerebral circulation, 230
- Aneurysm**
  - abdominal, 475
  - abdominal aortic, 953
  - with rupture into inferior vena cava, 287-89
  - aortic, 310, 954
  - with arachnoidectomy, 953
  - rupture of, into pulmonary artery, 449-53
  - aortic sinus, 782
  - arteriovenous, congenital, 136, 302
  - cirsoid, 136
  - congenital, 302
  - congenital, 136, 302
  - of ventricular septum, 725-29
  - dissecting, 310, 954
  - intracranial arterial, 476
  - of pulmonary artery, 476
  - due to syphilitic aortitis, 773-74, 775
  - right ventricular, due to hypoplasia of right coronary artery, 464
- Angina**
  - in analgesic limb, 944
  - of effort, 783
  - hypercyanotic, 1-10
- Angina pectoris**
  - carotid sinus pressure in, 81-84
  - crystalline visaminin for, 851-57
  - and 1-hydrazinophthalazine, 36
  - lipoprotein level in, and atherosclerosis, 122

- and myocardial ischemia, 138  
and nitroglycerin-flicker test, 218  
vs. pulmonary hypertensive pain, 1, 7-8  
simulated by diaphragmatic flutter, 956  
due to tobacco, 885
- Angiocardiography**, 154, 621-22  
in congenital heart disease, 302  
electrocardiographic changes during, 303
- Angiography**, carotid, 476
- Angiomatosis**, pulmonary arterio-venous, 478
- Angle**  $\alpha$ , of electrical axis, 139
- Anion exchange resin**, combined with cation resin, 527-32  
*See also* Exchange resin
- Anomaly**, congenital, 135-36, 301-02, 463  
aortopulmonary defect, 858-62  
*See also* under name of anomaly
- Anorexia**, in resin therapy, 848
- Anoxemia**  
oxygen in blood in, 951  
and pulmonary hypertension, 951
- Anoxemia test**, in coronary artery disease, 466
- Anoxia**  
anoxic, 633  
and cardiac glycogen, 788  
cerebral, 226  
and cerebral circulation, 230  
and pulmonary vascular resistance, 952
- Antibiotic**, 149  
and anticoagulant, 183-84
- Anticoagulant**, 173-75, 198  
and antibiotics, 183-84  
circulating, 941  
compound, 63, 181  
dl-alpha-tocopherol, 183  
and efficacy of hemostatic agents, 463  
lipid inhibitor of blood coagulation, 182-83  
Paritol, 181-82  
phenylindanedione, 179-81  
resistance to, of phlebitis with malignancy, 169  
Treburon, 462  
Tromexan, 175-79  
and zeta potential of blood, 165-67  
*See also* Dicumarol; Heparin
- Antigen-antibody mechanism**, in rheumatic diseases, 620
- Anxiety**  
prefrontal leukotomy for, 955  
in production of canine hypertension, 732-34
- Aorta**  
abdominal  
aneurysm of, 287-89, 953  
ligation of, in aneurysm, 475  
malformation of, in arterial hypertension, 305-06  
progressive constrictive occlusion of, 474  
aneurysm of, 287-89, 953, 954  
with rupture into pulmonary artery, 449-53  
anomaly of, 463
- arch of, 622, 944  
ascending  
  levoposition, 136  
  pressure curve in, 152  
chronic dissecting, 310  
coarctation of, 781  
  blood vessel graft for, 622  
  direct epicardial, electrocardiography in, 54  
  in infancy, 943  
  renal factor in hypertension of, 789  
  ventricular contraction pattern in, 330-31  
defect of, preserved venous graft for, 795  
hypoplasia of, 311  
in incomplete inverse torsion of the truncus, 782  
pulse wave velocity, 258, 260-61  
stenosis of, ventricular contraction pattern in, 331
- Aortic valve**  
insufficiency of, and precordial pain, 633  
regurgitation from, as contra-indication to surgery for mitral stenosis, 359
- Aortitis**, syphilitic  
Jarisch-Herxheimer reaction in, 314  
specific treatment of, 771-78
- Aplasia**, of renal artery in arterial hypertension, 305-06
- Appendix**, asymptomatic focal arteritis of, 952
- Apprehension**, circulatory changes due to, 227
- Arachnodactyly**  
with aortic aneurysm, 953  
and myocarditis, 311
- Arch**, aortic, 463, 622, 944
- Arrest**, cardiac. *See* Standstill
- Arrhythmia**  
during anesthesia, 935-36  
due to cyclopropane, 928  
due to digitalis, effect of magnesium on, 312  
due to digitoxin, 206  
intravenous quinidine in, 312  
after mercurial diuresis and potassium depletion, 88  
paroxysmal, quinidine in enteric-coated tablets for, 537  
procaine amide for, 791  
*See also* Fibrillation; Flutter; Tachycardia
- Arterenol**, and blood pressure, 437-40  
*See also* Norepinephrine
- Arterialization**, and coronary sinus, 810-15
- Arteriography**, 621
- Arteriole**  
myocardial, after ligation of coronary artery, 812  
pulmonary  
  and norepinephrine, 151  
  resistance of, 274  
  water-logged, in hypertension, 756-57
- Arteriosclerosis**, 474-75  
abdominal aortic aneurysm due to, 288, 289
- cerebral, psychosis due to, 314
- coronary  
  vs. pulmonary hypertensive pain, 7  
  serum lipid pattern in, 605-08  
endogenous cholesterol in, 310  
hyperplastic, and diabetes mellitus, 148  
of low extremities, lumbar sympathectomy for, 155
- obliterans  
  platelet adhesiveness in, 168  
  restoration of obstructed arterial lumen in, 670-79  
*See also* Atherosclerosis
- Arteritis**, asymptomatic focal, of the appendix, 952
- Artery**  
brachial, pressure in, 41  
carotid, 143, 226-27, 377  
  aneurysm of, 476  
  ligation of, 571, 796  
  spontaneous thrombosis of, 796  
in cerebral circulation, 226-27  
coronary. *See* Coronary artery  
femoral, backflow in, 434-35  
obstructed, 686  
  restoration of lumen in, 670-79  
peripheral  
  intra-arterial histamine for occlusive disease of, 661-69  
  neoplastic disease of, 623  
  pressure in, in cardiac standstill, 742  
pulmonary  
  aneurysm of, 476  
  chest pain due to, 1-10  
  electrocardiography of, in pulmonary stenosis, 951  
  obstruction of, 621-22  
  origin of left coronary artery from, 464  
  pressure in, 40-44, 144, 743, 746  
  rupture of aortic aneurysm into, 449-53  
  and schistosomiasis, 630  
  syphilis of, 621  
  thrombosis of, 476  
  and vascular catheterization with small plastic catheter, 260  
  pulse wave velocity in, 258-61  
renal, 754-56  
  aplasia of, in arterial hypertension, 305-06  
  constriction of, in hypertensive rabbits, 142  
  retinal, in thromboangiitis obliterans, 686  
  shock-induced intimal alteration in atherosclerosis, 539-49  
  small, arterial grafts in, 622  
  subclavian, transplantation of, in tetralogy of Fallot, 301
- Ascent**, of stairs, 455
- Ascites**, exchange resin for, 531
- Ascorbic acid**, 904
- Asphyxia**, and cardiac glycogen, 788

- Atherogenesis**  
and aluminum hydroxide gel, 107  
in chick, 103  
and cholesterol-phospholipid ratio, 107-08  
experimental, and thyroid hormone, 108  
and hypertension, 110  
and vascular damage, 110-11
- Atheroma**, 103
- Atherosclerogenesis**, and obesity, 514-17
- Atherosclerosis**, 98-100, 953  
adult vs. juvenile, 540, 548  
and bile acids, 618  
and blood lipids, 119-34  
cholesterol-induced, 101-02, 514-17  
in chick, 103-13  
and pancreas, 108-10  
in rabbit, 103-13  
and thyroid hormone, 108  
and diet, 102, 115-17, 456-57  
experimental, 101-14  
species differences in, 112  
and undernutrition, 104  
and heparin, 120  
human, and diet, 115-17  
and intimal alterations after shock, 539-49  
and iodide, 647-54  
lipotropic factor in, 106-07  
and myocardial infarction, 127  
and obesity, 115, 117, 514-17  
resistance to, of alloxan-diabetic animal, 406  
reversibility of, in chick, 103-04  
and serum cholesterol, 120  
and serum lipoproteins, 401-06  
spontaneous, in rabbit, 641-46  
stilbestrol-induced, in chick, 103  
and surface-active agents, 475
- Athyroidism**, vascular reactivity in, 393-94, 397-40
- Atresia**, pulmonary, direct epicardial electrocardiography in, 53
- Atriogram**, 870-74
- Atrium**  
direct electrocardiography of, 870-75  
left, pressure curve in, 152  
right, functional pressure changes of, 143  
*See also* Auricle
- Atropine**  
and blood pressure, 437-40  
for bradycardia due to intracranial pressure, 828-29, 831, 832
- Aureomycin**, for bacterial endocarditis, 149
- Auricle**  
composition of, 908-13  
excitability of, and quinidine, 866  
left  
pressure in, after compression of brain, 826-28  
pressure in, and lung weight-body weight ratio to, 829-30  
refractory period of, and quinidine, 866, 867-68  
■ *See also* Atrium
- Auriculoventricular node**, and reflex vagal stimulation, 83
- Auscultation**, of early rheumatic diastolic murmurs, 793
- Axis of heart**  
deviation of, 784, 945  
electrical, angle  $\alpha$  of, 139
- Azotemia**, during resin therapy, 847
- Backflow**, in femoral artery, 434-35
- Ballistocardiography**  
and age of patient, 481-95  
in determination of nicotine sensitivity, 885-91  
in experimental mitral insufficiency, 146  
and health of patient, 488-95  
in khellin therapy, 855  
normal standards for, 488  
in tricardiography, 408-11  
velocity measurement low frequency, 892-901
- Base**, osmotically active, in congestive heart failure refractory to mercurial diuresis, 66
- Bazett's K**, in animals, 947
- Beat**, ventricular, 333-35
- Bedpan**, vs. bedside commode in heart disease, 456
- Benzodioxane**, 281, 282
- Bernheim's syndrome**, 478
- Bile**  
and atherosclerosis, 618  
cholesterol in, and thyroid activity, 590-91  
and salyrgan diuresis, 149
- Bile duct**, obstruction of, and plasma cholesterol content, 591, 592
- Bishydroxycoumarin**  
for acute myocardial infarction, 707-11  
hemopericardium due to, 137  
*See also* Dicumarol
- Bismuth**, and penicillin therapy for syphilis, 777
- Bland-Sweet anastomosis**, 353
- Block**  
auriculoventricular, 792  
bundle branch, 310  
Q wave in, 466  
without significant heart disease, 304  
spontaneous remission of, 139  
cardiac  
in Boeck's sarcoid, 630  
complete, 945  
congenital, 725-29  
ganglionic, 150, 228, 792  
intraventricular, 305  
postinfarction, 785  
lumbar sympathetic, and clearance from calf muscle, 600  
neuromuscular, 619  
vagal, due to quinidine, 868
- Blockade**, adrenergic, and renal response to epinephrine, 94-97
- Blood**  
chylomicron in, 629  
coagulation of  
and ACTH, 173  
biochemical aspects, 162-63  
and cortisone, 173  
electrothermic, 474  
lipid inhibitor of, 182-83  
morphologic factors, 167-69  
physicochemical aspects, 163-67  
glycolysis, and dietary potassium, 950  
lipids in, and atherosclerosis, 119-34  
oxygenation of, by isolated lung, 794  
in pulmonary vascular system, 268-69  
renal flow of, and 1-hydrazinophthalazine, 33  
as replacement fluid after hemorrhage, 209, 211, 213  
viscosity of, in cerebral circulation, 231  
volume of, 632, 633  
cardiopulmonary, 274  
in cancer, 788  
changes in, in thoracic surgery, 146, 307  
in congenital cyanotic heart disease, 943  
intrathoracic, in left ventricular failure, 952  
intrathoracic, in mitral stenosis, 952  
intraventricular diastolic, 505  
in shock due to myocardial infarction, 945  
and ventricular contraction pattern, 328-29  
zeta potential of, 165  
*See also* Circulation
- Blood cell**  
circulating, 478
- Blood pressure**  
and arterenol, 437-40  
and atropine, 437-40  
and benzodioxane, 281, 282  
and cold pressor test, 281, 282  
and cortisone, 149  
and diisopropyl fluorophosphate, 281, 282  
after epinephrine, 373, 378  
and folic acid, 281  
lowering of  
experimental, electrocardiography in, 712-23  
due to low sodium diet, 757  
and methonium halides, 470  
neurogenic control of, 950  
after norepinephrine, 373, 378  
and posture, 437-40  
and potassium, 412-14, 415-18  
after procaine amide, 555-56  
and rice diet, 281, 282  
and saline solution, 280-81  
and serum cholinesterase activity, 279-83  
and sodium amytal, 281  
and tetraethylammonium bromide, 312  
and tilting, 437-40  
and Valsalva-like maneuver, 38-46  
and veratrum viride, 281, 282  
and vitamin K, 281  
*See also* Hexamethonium; Hy-

- pertension; Hypotension: Pressure
- Blood vessel**  
 bank, 625  
 digital, sensitivity of, after denervation, 955  
 graft of, in coarctation of aorta, 622  
 peripheral, innervation of, 793
- Body fluid**, in hyponatremic congestive heart failure refractory to mercurial diuresis, 58-73
- Body weight**  
 and cardiac size, 78, 79  
 and myocardial infarction, 137
- Boeck's sarcoid**, 630
- Bone marrow**  
 in hyperthyroidism, 140  
 in hypothyroidism, 140
- Book reviews**  
 Allen, A. C.: The Kidney, 634  
 Bell, E. T. (ed.): Hypertension; A Symposium, 156  
 De Groot, J. W. C.: Angiocardiography as a Diagnostic Aid in Congenital Heart Disease, 635  
 Flynn, J. E. (ed.): Blood Clotting and Allied Problems, 635  
 Goldberger, E.: Heart Disease, Its Diagnosis and Treatment, 156  
 Grant, R. P.: Spatial Vector Electrocardiography, 634  
 Hoff, F.: Clinical Physiology and Pathology, 798  
 Jones, A. M.: Heart Disease in Pregnancy, 798  
 Kisch, B., and Bardet, J. M.: An Application of Electron Microscopic Research to Physiology, 957  
 Laubry, C., Louvel, J.: Traité des maladies des veines, 957  
 Monroe, R. T.: Diseases in Old Age, 159  
 Oettel, H. J.: Drug Therapy of Cardiac Diseases, 798  
 Quick, A. J.: The Physiology and Pathology of Hemostasis, 158  
 Reindell, H., and Klepzig, H.: Modern Precordial and Extremity Leads in Practice, 799  
 Roth, G. M.: Tobacco and the Cardiovascular System; the Effects of Smoking and of Nicotine on Normal Persons, 958  
 Storeh, C. B.: Fundamentals of Clinical Fluoroscopy, with Essentials of Roentgen Interpretation, 158  
 Weiss, E.: Emotional Factors in Cardiovascular Disease, 157
- BP5**, 471
- Bradycardia**  
 due to epinephrine, 375  
 due to intracranial pressure, 826-29
- due to norepinephrine, 375  
 reflexogenic, 46
- Brain**  
 arteriosclerosis of, psychosis due to, 314  
 circulation in  
 collateral, 476  
 and metabolism, 225-34  
 and unilateral carotid ligation, 143  
 compression of, and pulmonary edema, 824-32  
 embolic injury of, 761-62  
 glucose consumption of, 226  
 in hypertension, 786  
 oxygen consumption of, 226, 229  
 and cerebral vascular disease, 232  
 in eclampsia, 229  
 in pernicious anemia and mental status, 233  
 sodium content of, in hypertension, 754  
 vascular accidents in, 474  
*See also* Cerebrum
- Breast**, funnel, and heart failure, 782
- Breathing**, 793  
 and pulmonary hypertensive pain, 8
- Bromsulfalein**  
 removal of, 424-28
- Buerger's disease**  
 cerebrovascular thrombosis in, 680-89  
 and lupus erythematosus, 311
- Bulbar conjunctiva**, in hypertensive vascular disease, 306
- Bundle**, atrial, 147
- Bundle branch block**  
 left, Q wave in, 466  
 right, septum in, 310  
 without significant heart disease, 304  
 spontaneous remission of, 139
- C6**. *See* Hexamethonium
- C-5968**. *See* Hydrazinophthalazine
- C-6130**, 29, 31, 36
- C7337**, 149
- Calcification**, valvular, as contraindication to surgery for mitral stenosis, 360
- Calcium**  
 in blood coagulation, 162, 163  
 depletion of in resin therapy, 847, 849  
 in nomogram for cardiac contractility, 314  
 for postoperative thromboembolism, 473
- Calcium chloride**  
 for cardiac standstill, 618
- Calf muscle**  
 circulation in, 144
- Cancer**  
 and anemia, 788  
 and blood volume, 788  
 and persistent phlebitis, 169
- Capillary**  
 pulmonary  
 pressure in, and intravenous saline solution, 144
- Carbohydrate**  
 cerebral consumption of, 226, 229
- Carbon**  
 radioactive  
 digitoxin labeled with, 496-503
- Carbon dioxide**  
 and cerebral circulation, 229-30  
 intoxication due to, 788  
 in serum  
 after exchange resin, 527  
 in serum  
 during resin therapy, 846-47
- Carbo-Resin**, 527, 530
- Carcinoma**  
 and persistent phlebitis, 169
- Cardiac cycle**, 323-25
- Cardiac index**, 40, 43  
 after intra-arterial histamine, 664-65
- Cardiac output**  
 and aging of patient, 494  
 of anesthetized dogs, 143  
 during cardiac catheterization, 40  
 and circulation time, 584  
 in hyperthyroidism, 227-28  
 and hypoxia, 267, 268  
 after intra-arterial histamine, 664-65  
 and intrapericardial pressure in pericardial tamponade, 521-22  
 in mitral stenosis, 277  
 and pulmonary "capillary venous" pressure, 276  
 in myxedema, 232
- Cardioacceleration**, in chronic experimental hypertension, 469
- Cardiovascular disease**  
 hypertensive, criteria, 560-61  
 and obesity, 514-17  
 pericardial, pleural, and pulmonary involvement in, 630
- Cardiovascular system**, surgery of, 623
- Carditis**, rheumatic, 455
- ACTH** for, 621  
 and air travel, 456  
 auscultation of early rheumatic diastolic murmur in, 793  
 as contraindication to surgery for mitral stenosis, 359  
 cortisone for, 621  
 and mitral stenosis, 357
- Carotid artery**  
 circulation in  
 after epinephrine, 377  
 after norepinephrine, 377  
 internal  
 in cerebral circulation, 226-27  
 deliberate thrombosis of aneurysm of, 476  
 spontaneous thrombosis of, 786  
 ligation of  
 blood flow response to, 571  
 for internal carotid artery, 476  
 unilateral, and cerebral circulation, 143



**Carotid sinus**

- extirpation of, in production of hypertension, 736
- hypersensitive, cardiac standstill due to stimulation of, 742-46
- and insulin, 629
- pressure on, in angina pectoris, 81-84

**Cat, digitoxin excretion in, 497-501****Catheter, for vascular catheterization, 257****Catheterization****cardiac**

- in aortic aneurysm, 449, 452
- and cardiac output, 40
- and diagnostic pulmonary artery pressure contour in patent ductus arteriosus, 463
- in Eisenmenger's complex, 463-64
- myocardial injury during, 148

**hepatic vein, 309****coronary sinus, 465****in study of myocardium, 307****percutaneous arterial, 626****vascular, with small plastic catheter, 257-61****venous, in compression of superior vena cava, 954****Cathode ray oscillograph, in high fidelity electrocardiography, 249-55****Cation exchange resin, 525-27****combined with anion resin, 527-32****for congestive heart failure, 747-53, 842-49****clinical effectiveness, 843-44****complications, 844-49****in nephrotic syndrome, 632****Cauterization, right ventricular response to, 816-23****C. C. K.-179, 285-86****Cell****giant, granulomatous, in myocarditis, 148****lupus erythematosus, 625****demonstration of, 627, 779, 954****Cellophane, in banding of abdominal aneurysm, 475****Cerebrum****circulation in****in arterial hypertension, 787****collateral, 476****and metabolism, 225-34****after sympathectomy, 787****and twenty degree head-up tilt, 787****and unilateral carotid ligation, 143****effect of papaverine on, in toxemia of pregnancy, 149****metastatic tumor in, 954****See also Brain****Chemoreceptor****carotid, in hypoxic cardiac acceleration, 306****emetic, 311****Chest****deformed, heart in, 302****pain in, and pulmonary hypertension, 1-10****Chick****cholesterol-induced atherosclerosis in, 103-13****estrogen-treated, and cholesterol-phospholipid ratio, 107, 108****Child****atherosclerosis in, 540, 548****atherosclerotic plaque in, 541****emotional patterns of, and rheumatic fever, 620****erythrocytes from, in cyanotic congenital heart disease, 943****hemorrhagic renal infarction in, 477****hypothyroidism in, 141****spatial vectorcardiography in, 466****See also Infant****Chloride****excretion of, due to exchange resin, 525, 527, 528, 750****in heart muscle, 909-12****and Mercurhydrin diuresis for edema, 85-89****in serum during resin therapy, 846-47****Cholesterol****and atherosclerosis, 101-14, 514-17****dietary****in atherosclerosis, 98-100, 104-06, 115-17****and heart disease, 456-57****in pyridoxine deficient monkeys, 478****and serum lipo-proteins in alloxanized rabbit, 401-06****endogenous, in arteriosclerosis, 310****excretion of, in feces, 657-59****and iodide, 647-54****metabolism of, and thyroid activity, 589-93****ratio of, to phospholipid, and atherogenesis, 107-08****in serum****in Aleuts, 627****and atherosclerosis, 116-17, 120****and coronary artery disease, 122-26, 606-08****and vascular reactivity in, 392****in xanthoma tuberosum, 126****synthesis of, in rat, 659****Choline, and atherosclerosis, 106-07****Cholinesterase****inhibition of, by tetraethylammonium, 617****in serum, and blood pressure, 279-83****Chordae tendineae, 351****Chromatography, of hypertensive blood, 384-86****Chylomicron, in blood, 629****Cinchoninic acid, 3-hydroxy-2 phenyl, 315****Circle of Willis, in cerebral circulation, 227****Circulation****in adrenal crisis, 140****in calf muscle, 144****cerebral****in arterial hypertension, 787****collateral, 476****and metabolism, 225-34****after sympathectomy, 787****and twenty degree head-up tilt, 787****and unilateral carotid ligation, 143****in chronic cor pulmonale, 145****coronary, 465****cutaneous, and rutin, 313****electromagnetic, flowmeter in, 430-36****embryonic, 625****and epinephrine, 370-78****during ether anesthesia, 929****in extremities, and vasodilator, 149****after faradic stimulation of phrenic nerve, 793****hallucinal, after sympathectomy for hypertension, 577-82****hepatic, 788****in cirrhosis of the liver, 419-29****through hypoxic lung, 470****in interauricular communication, 301****and ligation of carotid artery, 571****and metacholine, 570****and norepinephrine, 370-78****nutritive, tissue clearance as measure of, 594-603****peripheral****and posture, 794****during surgery, 795****pulmonary****and intracranial pressure, 824-32****in mitral stenosis, 271-77****and posture, 794****reflexes from, 618****as source of leukocytes, 794****as source of platelets, 794****pulmonary vascular, and short-term hypoxia, 263-67****renal, 788****and epinephrine, 91-97****and 1-hydrazinophthalazine, 33****measurement of, with P<sup>32</sup>, 152****and norepinephrine, 91-97****response of, to cold, 951****and section of vagus nerve, 571****and smoking, 454****during spinal anesthesia, 930****venous, in lower extremities****after femoral vein interruption, 155****Circulation time, 583-88****in pericardial effusion, 626****Circulatory reflex, 618****Circus movement, 874-75****Cirrhosis of liver****hepatic circulation in, 419-29****hyponatremia in, 632****Claudication, intermittent, 601, 602****intra-arterial histamine for, 661-69****Clearance, as measurement of mitral blood flow, 594-603****Clearance rate, of radiosodium, 308****Climbing, of stairs, 455**



- Coagulation.** See Blood, coagulation of
- Coarctation of the aorta, 781**  
blood vessel graft for, 622  
direct epicardial, 54  
in infancy, 943  
renal factor in hypertension of, 789  
ventricular contraction pattern in, 330-31
- Cockerel.** See Chick
- Cold**  
agglutinin precipitable by, 171-73  
nervous system in response to, 951
- Cold pressor test**  
and blood pressure, 281, 282  
and serum cholinesterase activity, 281, 282
- Colon, digitoxin in, 499**
- Coma, diabetic, and cerebral circulation, 230**
- Commissures, guides to, 796**
- Commissurotomy, 295, 354**  
anesthesia for, 154
- Commode, bedside, vs. bedpan in heart disease, 456**
- Communication**  
portasystemic, 796
- Compound, 63, 181**
- Compression, of brain, and pulmonary edema, 824-32**
- Conduction**  
auriculoventricular, in syndrome of short P-R, normal QRS, and paroxysmal tachycardia, 693-704  
and mercurial diuresis, 314  
in Purkinje tissue of ox heart, 153  
ventricular, aberrant, 304
- Conduction time**  
atrioventricular, alternans of, 305  
auricular, and quinidine, 866
- Congenital heart disease. See Heart disease, congenital**
- Congestive heart failure. See Heart failure, congestive**
- Conjunctiva, bulbar, in hypertensive vascular disease, 306**
- Constipation**  
due to hexamethonium, 21-22  
in resin therapy, 848
- Constriction, cerebral vascular, 232**
- Contraction**  
atrial, 323  
cardiac  
  nomogram for, 314  
  and pressor hormone of pituitary extract, 617  
isometric, 323, 324  
ventricular, abnormal, 327-46, 821-22
- Coronary artery, surgery for, 944**
- Coronary artery**  
arteriosclerotic  
  vs. pulmonary hypertensive pain, 2  
  serum lipid pattern in, 605-08  
  collateral blood supply from, 609-14  
  disease of, 472  
  anesthesia in, 934  
  and body weight, 137  
  and cholesterol level, 122-26  
  criteria of, 561  
  and lipoprotein level, 122-26, 129-33  
  pain due to, 7-8  
  and serum uric acid, 137  
  See also Heart disease, coronary
- failure of, 189-90  
insufficiency of, 472, 616  
  acute atypical, 189-99  
left, origin of, from pulmonary artery, 464  
ligation of, 811  
infarcts, 807-09, 812  
  multiple, 801-09  
  mural, 146-47  
occlusion of, 802-03  
  ectopic ventricular activity after, 146  
  and ventricular contraction, 337-39  
right, hypoplasia of, and right ventricular aneurysm, 464  
stenosis of orifice of, due to syphilitic aortitis, 774
- Coronary sinus**  
arterialization of, 810-15  
catheterization of, 465  
  in study of myocardium, 307
- Cor pulmonale, 951**  
chronic, 622  
  circulation in, 145  
  due to recurrent pulmonary embolism, 477  
  after thoracoplasty, 950
- Cor renale, electrocardiography in, 783**
- Cortisone**  
and atherogenesis, 111  
and blood coagulation, 173  
and blood pressure, 149  
and cerebral metabolism, 233  
  for erythema nodosum, 791  
  for glomerulonephritis, 948  
  for periarteritis nodosa, 618  
  and P-R interval, 703  
  for rheumatic carditis, 621  
  for rheumatic fever, 153  
  for scleroderma, 151
- Cough, in pulmonary hypertensive pain, 7**
- Coumarin compound, for phlebitis with malignancy, 169**
- Cramps, in resin therapy, 848**
- Cranium, pressure in, 633**  
and pulmonary edema, 824-32
- Cryoglobulinemia, 171-72**
- Cyanosis**  
hypercyanotic angina, 1-10  
  in pulmonary hypertensive pain, 7
- Cycle, cardiac, 323-25**
- Cyclopropane, 927-29**  
and electrocardiography, 466  
and renal function, 788
- Danilone, 179**
- Death, due to small pulmonary emboli, 144**
- Denervation**  
cardiac  
  for mitral stenosis, 352-53  
  and quinidine, 865-66  
  renal, in production of canine hypertension, 734-35  
  sensitivity of digital blood vessels after, 955
- Depression, sternal, heart in, 302**
- Depressor response, postural, 437-40**
- Depressor substance, in human urine, 575**
- Desoxycorticosterone acetate, 110**  
hypertension due to, 141
- Desoxycorticosterone glucoside, 229**
- Dextran Ph, 208-14**
- Diabetes mellitus**  
acidosis due to, and cerebral metabolism, 229-30, 233  
and cardiac glycogen, 470  
coma due to, and cerebral circulation, 230  
and hyperplastic arteriosclerosis, 148
- Diacetylismoscarine, 12**
- Diarrhea**  
due to exchange resin, 530, 848  
due to quinidine, 537
- Diastasis, 323**
- Diastole, 323**
- Dibenzamine, in surgery for pheochromocytoma, 313**
- Dicumarol**  
for acute myocardial infarction, 707-11  
administration of, 300  
and diet, 184  
hemopericardium due to, 137  
and plasma prothrombin levels, 463  
and platelet adhesiveness, 168  
variable effects of, 779
- Dicoumarin, and vitamin K, 463**
- Diet**  
and atherosclerosis, 98-100, 102, 104-06, 456-57  
  human, 115-17  
and dicumarol, 184  
in experimental renal hypertension, 949  
in heart disease, 779  
low fat, in heart disease, 457  
low sodium, and lowering of blood pressure, 757  
rice  
  and blood pressure, 281, 282  
  and serum cholinesterase activity, 281, 282
- Diethylaminoethanol, and electrocardiography, 466**
- Digilanid, and thevetoidin, 13**
- Digitalis, 780**  
arrhythmia due to, effect of magnesium on, 312  
and composition of heart, 908-14  
intoxication due to, 149  
leaf  
  vs. amorphous gitalin, 204  
  therapeutic ratio of, 202  
for myocardial infarction, 472  
toxicity of  
  in congestive heart failure, and potassium, 311  
  and potassium depletion, 88  
and Veriloid, 790  
See also Glycoside, cardiac

- Digitalis preparation**, amorphous gitalin, 201-07
- Digitalization**  
of healthy normal heart, 792  
initial, 201-03
- Digitonides**, fecal excretion of, 658-59
- Digitoxin**, 205-06  
C<sup>14</sup>-labeled, metabolism of, 496-503  
for congestive heart failure, 136  
dissipation of, 207  
distribution of, in tissue, 499-503  
enzymatic breakdown of, 471  
excretion of, 497-501  
therapeutic ratio of, 202
- Digoxin**, 205-06  
dissipation of, 207  
therapeutic ratio of, 202
- Dihydroergocornine**, 228
- Diisopropyl fluorophosphate (DFP)**  
and blood pressure, 281, 282  
and serum cholinesterase activity, 279, 281, 282
- Dilation**, cardiac, and circulation time, 584
- Dinitrophenol**, 108
- Diodrast**, in study of cerebral metastasis, 954
- Diuresis**  
inhibition of, by smoking, 791  
due to intravenous isotonic saline, 792  
mercurial, 85-89, 471  
and conduction velocity, 314  
and electrical excitability, 314  
refractoriness to, in congestive heart failure, 58-73, 457  
during resin administration, 530, 752  
self-administered, 152  
salyrgan, 149
- Dizziness**, due to 1-hydrazinophthalazine, 836
- Dog**  
arterial hypertension in, 730-40  
production of myxedema in, 393-95  
production of pulmonary edema in, 789
- Dramamine**, 31  
for vomiting due to thevetoidin, 18
- Ductus arteriosus**, patent  
in the aged, 301-02  
atypical, 781  
diagnostic pulmonary artery pressure contour in, 463  
direct epicardial electrocardiography, in, 55
- Dyscolloidity**, plasmatic, 546
- Dyspnea**  
due to 1-hydrazinophthalazine, 836  
in pulmonary hypertensive pain, 7
- Dystrophia myotonica**, heart in, 147
- Dystrophy**, electrocardiography in, 305
- Eclampsia**, and cerebral oxygen consumption, 229
- Edema**  
anion-cation exchange resin for, 530-32  
endothelial, 545  
intracellular, 546  
mercurial diuresis for, 85-89  
mercurial-fast, and hyponatremia in congestive heart failure, 58-73  
nephrotic, ion exchange resin for, 618  
pulmonary  
alcohol inhalation for, 363-69  
due to hypothalamic lesion, 629  
and intracranial pressure, 824-32  
neurogenic, 759-64  
production of, in dog, 789  
in surgery for mitral stenosis, 356  
and vagotomy, 830  
and sodium space, 917
- Effort**, 455  
pulmonary vascular response to, in mitral stenosis, 271-77
- Effusion**, pericardial  
and cardiac output, 145  
circulation time in, 626  
and ventricular contraction pattern, 327-28
- Eisenmenger's complex**, cardiac catheterization in, 463-64
- Ejection**  
maximum, 323, 324  
reduced, 323, 324
- Electrocardiography**, 783-85  
in anaphylactic shock, 946  
experimental, 138  
and anesthesia, 466  
angle  $\alpha$  of electrical axis, 139  
in aortic stenosis, 783  
Bazett's K in animals, 947  
changes in, during angiocardiology, 303  
in congenital heart disease, 780, 946  
in cor renale, 783  
in diagnosis of myocardial disease, 199  
and diethylaminoethanol, 466  
direct, of the atrium, 870-75  
in dystrophy, 305  
and emotion, 139  
epicardial, 48-57  
esophageal, in postinfarction intraventricular block, 785  
exercise tolerance test, 467  
in experimentally lowered blood pressure, 712-23  
in heart disease detection, 559-65  
high fidelity, 249-55  
in hypopotassemia with pericarditis, 140, 305  
hypoxemia test, 467  
intracavity, from hypertrophied right ventricle, 441-47  
limitations of, 458  
of normal people, 304  
positional changes, 465  
in pregnancy, 945  
in the puerperium, 945
- in pulmonary hypertensive pain, 8-9  
in renal disease, 783  
and replacement fluid for hemorrhage, 213  
sagittal plane, 713-19, 722  
after sodium Evipan anesthesia, 623  
in somatic tremor, 785  
in tetralogy of Fallot, 138  
and thevetoidin, 14, 15, 16  
in tricuspidography, 408-11  
work test, 467
- Electrokymography**, of pulmonary artery in pulmonary stenosis, 951
- Electrolyte**  
excretion of  
and adrenal medullary hormones, 786  
due to exchange resin, 524-30, 747-53  
and pericardial effusion, 145  
in heart muscle, 909-14  
hyponatremic congestive heart failure refractory to mercurial diuresis, 58-73  
and Mercurhydrin diuresis for edema, 85-89
- Electromyography**, 628
- Embolism**  
air, during peritoneoscopy, 629  
peripheral arterial, 472  
pulmonary  
chest pain due to, 1-2  
cor pulmonale due to, 477  
electrical prevention of, 151  
in small arteries, 144  
in surgery for mitral stenosis, 357
- Embryo**, circulation in, 625
- Emesis**  
and cardiac glycoside, 311  
due to thevetoidin, 17-18
- Emotion**  
electrocardiography of, 139  
and rheumatic fever, 620
- Encephalopathy**, hypertensive, 786
- Endarterectomy**, 670-79  
for chronic endarteritis, 794
- Endarteritis**, chronic, endarterectomy for, 794
- Endocarditis**, bacterial, 135, 149, 300, 462
- Endocardium**, fibrosis of, with cardiac enlargement, 309
- Endothelial cell**  
damage to, and atherosclerosis, 545-47  
hydropic swelling of, 542, 544, 545-46
- Enzyme**, in breakdown of digitoxin, 471
- Epicardium**, electrocardiography of, 48-57
- Epinephrine**, 25  
and amphibian systolic rhythm, 150  
in anesthetic drugs, 930  
and blood pressure, 373, 378  
bradycardia due to, 375  
and cardiac excitability, 311  
and circulation, 370-78  
in carotid artery, 377  
and heart rate, 373

- vs. norepinephrine, 370-78  
in production of canine hypertension, 734-35  
and renal hemodynamics, 91-97
- Ergot alkaloid**, dihydrogenated for essential hypertension, 285-86  
for frostbite, 150
- Erythema nodosum**, cortisone for, 791
- Erythrocyte**  
aggregation of, in lupus erythematosus, 628  
circulating volume of, in pregnancy, 631  
in cyanotic congenital heart disease, 943  
K<sup>42</sup>-tagged, in blood volume determination, 632
- Escape**, vagal, 784
- Esophagus**, pulsations in, 144  
in mitral insufficiency, 952
- Estrogen**, and cholesterol-phospholipid ratio, 107, 108
- Ether**  
and electrocardiography, 466  
and renal function, 788
- Ether test**, for localization of intracardiac shunt, 781
- Ethyl chloride**, and electrocardiography, 466
- Ethyl ether**, 929
- Euthyroidism**, radioiodine-induced hypothyroidism for, 947
- Evipan**, 623
- Exchange resin**, 524-32  
for congestive heart failure, 747-53, 842-49  
and Mercurhydrin diuresis, 86  
for nephrotic edema, 618  
in nephrotic syndrome, 632
- Excitability**  
cardiac, 311  
electrical, and mercurial diuresis, 314
- Excreta**. *See* **Feces**; **Urine**
- Excretion**  
of digitoxin, 497-501  
of electrolyte, due to exchange resin, 524-30
- Exercise**, 456  
and cardiac output, 40  
and electrocardiogram of normal people, 304  
pulmonary vascular response to, in mitral stenosis, 271-77
- Exercise tolerance test**, 467
- Extracellular fluid**, in pregnancy, 624
- Extrasystole**, due to digitalis, 913
- Extremity**. *See* **Leg**; **Limb**
- Eye ground**, in toxemia of pregnancy, 143
- Factor V**, 162
- Factor VI**, 162
- Failure**  
coronary, 189-90  
left ventricular, intrathoracic blood volume in, 952  
*See also* Heart failure
- Fallot's tetralogy**, 49-51, 138, 301, 942
- Fallot's trilogy**, 942
- Familial thrombosing tendencies**, 170-71
- Faradization**, of phrenic nerve, 793
- Fat**  
dietary  
in atherosclerosis, 98-100, 105  
and atherosclerosis-associated lipoproteins, 516  
and heart disease, 457  
and atherogenesis, 105
- Feces**  
anion excretion in, 527-28  
cholesterol in, 657-59  
digitoxin excretion in, 497-501  
sodium excretion in  
due to cation exchange resin for congestive heart failure, 748-52  
after exchange resin, 524-30  
sterol digitonides in, 658-59
- Femoral nerve**, section of, blood flow response to, 571
- Femoral vein**, ligation of, and circulation in legs, 155
- Fever**, and cerebral circulation, 228
- Fiber**, cardiac muscle, 507-09
- Fibrillation**  
auricular, 790, 867-68  
as contraindication to surgery for mitral stenosis, 360  
conversion of, to sinus rhythm, 537  
and masked hyperthyroidism, 468  
quinidine in enteric-coated tablet for, 537  
ventricular  
during cyclopropane anesthesia, 928  
vs. ventricular flutter, 726
- Fibrin**, 162, 163
- Fibrinogen**, 162, 163
- Fibrosis**  
endocardial, with cardiac enlargement, 309  
pulmonary, with generalized scleroderma, 308
- Fick principle**, and nitrous oxide procedure for measuring cerebral circulation
- Finger tip**, circulation through, in response to cold, 951
- Fistula**  
aortopulmonary, 858-62  
arteriovenous, 668  
of the lung, 624  
traumatic, between renal artery and inferior vena cava, 623
- Flat chest**, heart in, 302
- Flavinoid**, vitamin P, and cutaneous circulation, 313
- Flicker fusion frequency**, and nitroglycerin, 215-24
- Flotation pattern**, ultracentrifugal of lipoproteins, 400
- Flowmeter**, electromagnetic, 430-36
- Fluid**  
extracellular  
electrolytes in, and Mercurhydrin diuresis, 88-89  
in pregnancy, 624
- replacement, after hemorrhage, 208-14
- Flushing**, due to 1-hydrazinophthalazine, 836
- Flutter**  
auricular  
due to aconitine, 868  
direct electrocardiography of atria in, 871  
after indirect cardiac trauma, 790  
procaine for, 616  
circus movement, 867-68  
diaphragmatic, simulating angina pectoris, 956  
ventricular  
with congenital aneurysm of ventricular septum, 725-29  
vs. ventricular fibrillation, 726
- Flying**, and heart disease, 455-56
- Folic acid**  
and blood pressure, 281  
and serum cholinesterase activity, 281
- Frostbite**, dihydrogenated alkaloids of ergot for, 150
- Fundus oculi**, in toxemia of pregnancy, 143
- Funnel breast**, and heart failure, 782
- Fusion frequency of flicker**. *See* **Flicker fusion frequency**
- Ganglion**  
autonomic, and blocking drugs, 150  
stellate  
block of, and cerebral circulation, 228  
block of, in cerebrovascular accidents, 792
- Ganglionectomy**, bilateral stellate, and cerebral circulation, 228
- Gangrene**, due to cold hemagglutinins, 172
- Gel**, aluminum hydroxide, and atherogenesis, 107
- Geriatrics**  
and atherosclerosis, 101, 111-12  
ballistocardiography in, 489-90  
and patent ductus arteriosus, 301  
and sodium space, 917
- Giant cell**, granulomatous, in myocarditis, 148
- Gitalin**, amorphous, therapeutic range of, 201-07
- Glomerular filtration rate**, 788  
and epinephrine, 92-97  
and norepinephrine, 92-97
- Glomerulonephritis**, cortisone for, 948
- Glomerulus**  
and epinephrine, 95-97  
and norepinephrine, 95-97
- Glomus tumor**, 473
- Glucose**  
cerebral consumption of, 226, 229  
T<sub>m</sub> for, and epinephrine, 93-97
- Glycogen**, cardiac, 470  
and dietary potassium, 950  
and oxygen deficiency, 788

- Glycoside, cardiac**, 205-06  
 absorption of, 206  
 acetylthetvetin, 12  
 emetic action of, 311  
 in nomogram for cardiac contractility, 314  
*See also* Digitalis; Digitoxin; Digoxin; Gitalin
- Gonad**, and atherogenesis, 112
- Graft**  
 between aorta and coronary sinus in revascularization of heart, 801-04, 810-11  
 arterial  
   for peripheral arterial neoplasms, 623  
   in small arteries, 622  
 blood vessel, in coarctation of aorta, 622  
 prevention of dilatation in, 794  
 venous, preserved, for aortic defect, 795
- Grave's disease**, circulation time in 584
- Growth ratio**, constant differential, 629
- H wave**, and age of patient, 486-88, 493
- Halide**, methonium, in high blood pressure, 470
- Hallux**, circulation in, after sympathectomy for hypertension, 577-82
- Headache**, due to 1-hydrazinophthalazine, 31-32, 35, 834, 835-36
- Heart**  
 and acromegaly, 309  
 amphibian, and epinephrine, 150  
 in acute hemorrhage, 946  
 amyloidosis of, 308  
 anatomy of, angiocardigraphic study, 154  
 axis of  
   deviation, 784, 945  
   electrical, angle  $\alpha$  of, 139  
 and carotid sinus pressure, 81-84  
 composition of, in congestive failure, 907-14  
 congenital malformations of, 302-03  
 contractility of, 314, 617  
 coronary collaterals to, 609-14  
 cycle, 323-25  
 denevated, and quinidine, 865-66  
 digitoxin in, 499  
 in dystrophia myotonica, 147  
 excitability of  
   and acetylcholine, 311  
   and epinephrine, 311  
 force curves for, 509  
 force-pressure curves for, 510  
 force-volume curves for, 509  
 glycocon in, 470  
   and dietary potassium, 950  
   and oxygen deficiency, 788  
 hypertrophy of, with endocardial fibrosis, 309  
 index, 40, 43, 664-65  
 innervated, and quinidine, 865-66
- mechanical nature of, 504-13  
 metabolism of, in shock, 307  
 output of, *See* Cardiac output  
 of ox, conduction in Purkinje tissue of, 153  
 oxygen availability in ischemic tissue of, 945  
 power curve of, 510  
 and pressor hormone of pituitary extract, 617  
 reflexes from, 618  
 revascularization of, 801-09, 810-15  
 rhythm of  
   in hyperthyroidism, 140  
   in hypothyroidism, 140  
 size of, in essential hypertension, 74-80  
 and smoking, 454-55  
 during spinal anesthesia, 930  
 in sternal depression, 302  
 strain, in congenital heart disease, 946  
 tamponade, 313  
 vagal stimulation of, 471  
 volume of, and circulation time, 584  
 weight of, 911-12  
 work curve of, 510
- Heart beat**, first, 625
- Heart block**  
 in Boeck's sarcoid, 630  
 bundle branch, 139, 304, 310, 466  
 congenital, with congenital aneurysm of ventricular septum, 725-29
- Heart disease**  
 anesthetic management of, 927-36  
 arteriosclerotic, P wave in, 784  
 and ballistocardiographic abnormality due to smoking, 887-88  
 congenital  
   anesthesia in, 935  
   angiocardigraphy in, 302  
   cyanotic, 782, 943  
   electrocardiography in, 780, 946  
   vs. schistosomiasis, 630  
 coronary  
   and ballistocardiography, 491-93  
   clinical aspects, 783  
   and nitroglycerin-flicker test, 215-24  
   velocity ballistocardiography in, 901  
 diet in, 779  
 electrocardiographic detection of, 559-65  
 epidemiologic study of, 625  
 nutritional, 631  
 restrictions in  
   of air travel, 455-56  
   of bedpan, 456  
   of cholesterol, 456-57  
   of diet, 456-58  
   of exercise, 456  
   of fat, 457  
   of salt, 457  
   of smoking, 454-55  
   of sodium, 457  
   of stair climbing, 455  
   of work, 456
- rheumatic, 619-21  
 criteria, 561  
 and nitroglycerin-flicker test, 218  
 stimulated by chronic dissecting aneurysm of aorta, 310
- Heart failure**  
 and cerebral circulation, 232  
 congestive  
   and air travel, 456  
   amorphous gitalin for, 205  
   anesthesia in, 934-35  
   anticoagulants in, 175  
   body fluids in, 58-73  
   and cardiac size, 75, 79  
   cation exchange resin for, 747-53, 842-49  
   circulation time in, 584, 585  
   composition of heart in, 907-14  
   cyclic premenstrual, 303  
   Digitoxin for, 136  
   salt restriction in, 457  
   sodium space in, 917  
   thromboembolic phenomena in, 944  
 digitalis toxicity in, and potassium, 311  
 neurogenic, 759-64  
 and pectus excavatum, 782
- Heart rate**  
 after anoxemia test, 466  
 and carotid chemoreceptors, 306  
 and epinephrine, 373  
 and hexamethonium, 20  
 after intra-arterial histamine, 664  
 and norepinephrine, 373  
 and thevetoidin, 13-14, 15-16  
 after two-step test, 466  
 and Valsalva-like maneuver, 41
- Heart sound**, snapping first apical, in syndrome of short P-R, normal QRS, and paroxysmal tachycardia, 695, 699
- Heating**, reflex, and clearance from distal skin, 598-99, 602
- Hemagglutinin**, cold, 171-73
- Hemangioma**, cerebral, 230
- Hematocrit**, body, in pregnancy, 631
- Hemiparesis**, in cerebrovascular thromboangiitis obliterans, 686
- Hemopericardium**, due to bis-hydroxycoumarin, 137
- Hemorrhage**  
 anemia due to, and cerebral circulation, 230  
 heart in, 946  
 due to hypothalamic lesion, 629  
 and replacement fluids, 208-14
- Hemostatic agent**, efficacy of, in presence of anticoagulant 463
- Heparin**  
 administration of, 942  
 and atherosclerosis, 120  
 and platelet adhesiveness, 168  
 for phlebitis with malignancy, 169  
 vs. protamine, 166  
 resistance to, in rheumatic fever, 153



- sensitivity, after intravenous infusion of heparin, 780  
and zeta potential of blood, 165-67  
and zeta potential of plasma fractions, 165-66
- Hepatitis**, infectious, myocarditis in, 309
- Hexamethonium**, 469  
alternating with 1-hydrazinophthalazine, 836-39  
for hypertension, 20-26  
tolerance to, 839
- Hexamethonium bromide**, 933  
for hypertension, 141, 786, 787
- Histamine**, intra-arterial, for occlusion of peripheral arterial disease, 661-69
- Hormone**  
adrenal medullary, 786  
pressor, of pituitary extract, 617  
for serum disease in rabbit, 948  
thyroid, and experimental atherogenesis, 108  
See also ACTH; Cortisone
- Hyaluronate**, thromboplastic activity of, 941
- 1-Hydrazinophthalazine**, 22  
alternating with hexamethonium, 836-39  
4-methyl, 29, 31, 36  
for hypertension, 28-36, 833-40  
side effects, 835-36  
tolerance to, 839
- Hypercholesterolemia**  
diet-induced, 104-05  
and lipotropic factors, 106-07  
minimal, and atherogenesis, 113
- Hyperemia**, reactive, and clearance from calf muscle, 596
- Hyperlipemia**, and lipotropic factors, 106-07
- Hypermetabolism**, and atherogenesis, 108
- Hyperplasia**, intimal, in arterialization of coronary sinus, 815
- Hypertension**, 469  
due to adrenaline, 471  
and age, 142  
altered metabolic response prior to, 948  
anesthesia in, 932-34  
arterial, 305-06  
and acute anterior poliomyelitis, 949  
and cerebral circulation, 787  
in dogs, 730-40  
methonium salts for, 786  
sodium concentration in, 754-58  
ventricular contraction pattern in, 329-30  
water concentration in, 754-58  
and atherogenesis, 110  
and ballistocardiography, 490-91  
cardiac force curves in, 509  
cardiac force-pressure curves in, 510  
cardiac force-volume curves in, 509  
cerebral states in, 786
- chronic, renal factors in production of, 736-38
- chronic experimental, cardioacceleration in, 469  
clinical features of, 949  
and constriction of renal artery, 142  
criteria, 560-61  
dihydrogenated ergot alkaloids for, 285-86  
essential  
and Arterenol, 439  
cardiac size in, 74-80  
cerebral vascular resistance, 228  
hallucal circulation after sympathectomy for, 577-82  
hexamethonium bromide for, 787  
purified veratrum viride alkaloids for, 306  
serum sodium values in, 948  
subtotal adrenalectomy for, 950  
experimental, and athyroidism, 397-400  
experimental lowering of blood pressure in, electrocardiography, 716-23  
experimental renal, 949  
hexamethonium for, 20-26  
hexamethonium bromide for, 141  
high diastolic, 948  
1-hydrazinophthalazine for, 28-36, 833-40  
and load on left ventricle, 506  
malignant, rutin for, 949  
and methonium halides, 470  
neurogenic, 735-38  
and nitroglycerin-flicker test, 215-24  
pentamethonium bromide for, 141  
and periarteritis nodosa, 787  
due to pheochromocytoma, 440  
pherentasin in, 380-89  
in poliomyelitis, 142  
psychic stimuli in production of, in dogs, 732-34  
due to pteroylglutamic acid, in rat, 903-06  
pulmonary, 626  
and anoxemia, 951  
and chest pain, 1-10  
and hypoxia, 263-69  
in mitral stenosis, 153  
renal, and renin substrate, 141  
right ventricular, in congenital heart disease, 946  
serum cholinesterase activity in, 280  
spinal anesthesia for, 950  
subtotal adrenalectomy for, 469  
sustained due to desoxycorticosterone acetate, 141  
tetraethylammonium chloride for, 950  
after x-ray irradiation of one kidney, 950
- Hyperthyroidism**  
bone marrow in, 140  
cardiac output in, 227-28  
cardiac rhythm in, 140  
and cholesterol metabolism, 589-93
- circulation time in, 584  
circulatory changes due to, 227-28  
fecal excretion of cholesterol in, 658-59  
fecal excretion of sterol digitonides in, 658-59  
masked, and auricular fibrillation, 468
- Hypertonus**, of retinal vessels in cardiovascular disease, 215-16
- Hypertrophy**  
left ventricular, direct epicardial electrocardiography in, 53-54, 56  
right ventricular  
with axis deviation, 784  
with congenital cardiac defects, 945  
direct epicardial electrocardiography in, 48-52, 56-57  
intracavity electrocardiography in, 441-47  
in pulmonary hypertensive pain, 8
- Hyperventilation**  
due to alkalosis, 631  
and cerebral circulation, 231
- Hypervolemia**, and ventricular contraction pattern, 328-29
- Hypoglycemia**, due to insulin, and cerebral metabolism, 229
- Hypokalemia**, 140, 305  
death due to, 766-70
- Hyponatremia**  
and refractoriness to mercurial diuresis in congestive heart failure, 58-73  
following paracentesis in hepatic cirrhosis, 632
- Hypoplasia**  
aortic, in arachnodactyly, 311  
of right coronary artery right ventricular aneurysm due to, 464
- Hypopotassemia**  
death due to, 766-70  
with pericarditis, electrocardiography in, 140, 305
- Hypotension**, 21  
controlled, in anesthetic management of hypertensive, 933-34  
due to hexamethonium, 20-26  
postcyclopropane, 928  
postural  
due to 1-hydrazinophthalazine, 31, 836  
with pheochromocytoma, 440  
due to spinal analgesia, Neosynephrin for, 617  
in surgery for mitral stenosis, 356
- Hypothalamus**  
lesion of, 629  
and P-R interval, 704
- Hypothyroidism**  
bone marrow in, 140  
cardiac rhythm in, 140  
in childhood, 141  
and cholesterol metabolism, 589-93

- fecal excretion of cholesterol in, 658-59  
 fecal excretion of sterol digitonides in, 658-59  
 due to radioiodine, in euthyroid cardiac patients, 947  
 and vascular reactivity, 390-96  
**Hypoxemia**, and pulmonary artery angiomas, 478  
**Hypoxemia test**, 467  
**Hypoxia**  
   and cardiac output, 267, 268  
   carotid chemoreceptor in cardiac acceleration due to, 306  
   latent, in high altitude exposure, 626  
   short-term, pulmonary vascular response to, 263-69  
   and vagal stimulation of heart, 472
- I plus J distance**, and age of patient, 485  
**I wave**, and age of patient, 486-88, 493  
**Ileus**, due to hexamethonium, 21-22  
**Incompetency**, of communicating veins in leg, 475  
**Index**, cardiac  
   after intra-arterial histamine, 664-65  
   in mitral stenosis, 43  
   and Valsalva-like maneuver, 40, 43  
**Infant**  
   coarctation of the aorta in, 943  
   pulse wave velocity in, 259  
   *See also* Child  
**Infarction**  
   cardiac, prognosis, 303  
   hemorrhagic, of the kidney, 477  
   after ligation of coronary artery, 807-09  
   myocardial, 189, 191  
     acute, 137  
     and air travel, 456  
     and angina of effort, 783  
     anticoagulant therapy for, 175  
     and atherosclerosis, 127  
     atypical, 195-98  
     bishydroxycoumarin for, 707-11  
   blood volume in shock due to, 945  
   and body weight, 137  
   and cardiac size, 78, 79  
   chest pain due to, 2  
   in chronic peptic ulcer, 137  
   digitalis for, 472  
   and ectopic ventricular tachycardia, 551-58  
   hemopericardium due to bishydroxycoumarin for, 137  
   and lipoprotein levels, 122, 129-33  
   and nitroglycerin-flicker test, 218  
   shoulder-hand syndrome after, 138  
   shock in, 136  
   spatial vectorcardiography in, 946  
   due to vasopressin, 616  
   pulmonary, 2
- Infection**, and acute myocarditis, 628  
**Inflation**, pulmonary, positive pressure, 789  
**Infusion**, intravenous, as cause of thrombophlebitis, 796  
**Inhalation**, of alcohol vapor for pulmonary edema, 363-69  
**Innervation**  
   of blood vessels, 793  
   of heart, and quinidine, 865-66  
**Inositol**, and atherosclerosis, 106-07  
**Insomnia**, in conversion of auricular fibrillation to sinus rhythm, 537  
**Insufficiency**  
   aortic  
     and precordial pain, 633  
     syphilitic, 773  
   coronary, 472  
     acute atypical, 189-99  
     due to vasopressin, 616  
   mitral  
     ballistocardiography in, 146  
     esophageal pulsations in, 952  
     ventricular contraction in, 342-45  
   myocardial, in syphilitic aortitis, 775  
   pulmonary, 797  
   thevetoidin for, 18  
**Insulin**  
   and the carotid sinus, 629  
   hypoglycemia due to, and cerebral metabolism, 229  
**Interference**, ambient vibration, 896  
**Intestinal tract**, digitoxin in, 499  
**Intima**  
   hyperplasia of, in arterIALIZATION of coronary sinus, 815  
   shock-induced, in atherosclerosis, 539-49  
**Intoxication**  
   carbon dioxide, 788  
   due to digitalis, 149  
**Intraventricular block**, postinfarction, 785  
**Intubation**, endotracheal, electrocardiography during, 466  
**Iodide**  
   and cholesterol, 647-54  
   and penicillin therapy for syphilis, 777  
**Iodine**  
   in plasma, and iodide, 649-50, 653-54  
   radioactive, in measurement of mitral blood flow, 595  
   serum perceptible, after intramuscular Mercuhydrin, 315  
**Ion exchange resin**. *See* Exchange resin  
**Ischemia**  
   cerebral, due to syphilis, 233  
   myocardial  
     and angina pectoris, 138  
     and ventricular contraction, 337-39  
   of extremities, Priscoline in, 315  
**J wave**, and age of patient, 486-87, 493
- Jarisch-Herxheimer reaction**  
   in gummatous syphilitic aortitis, 314  
   after penicillin for cardiovascular syphilis, 472  
**Juvenile**. *See* Child  
**K**, Bazett's, in animals, 947  
**K wave**, and age of patient, 486-88, 493  
**Karell milk diet**, 458  
**Khellin**  
   crystalline, for angina pectoris, 851-57  
   enteric-coated, 472  
**Kidney**  
   bilateral cortical necrosis of, 477  
   blood flow in, 788  
   and 1-hydrazinophthalazine, 33  
   denervation of, in production of canine hypertension, 734-35  
   and dietary pteroylglutamic acid, 904-05  
   digitoxin in, 499  
   function of  
     and epinephrine, 91-97  
     and norepinephrine, 91-97  
     with sodium chloride load in Goldblatt hypertensive dogs, 142  
   hemodynamics of, and pericardial effusion, 145  
   hemorrhagic infarction of, 477  
   hypertension after x-ray irradiation, 950  
   in production of hypertension, 736-38  
   vascular shunt in, 146  
**Kymography**  
   of heart along perimeter of transection, 627  
   slit, in tricardiography, 498-11
- Labile factor**, 162  
**Lactic acid**, cerebral, 226  
**Lanatoside C**, 205-06  
**Lead**  
   direct epicardial, QRS pattern in, 48-57  
   esophageal, in direct electrocardiography of atrium, 870  
   extremity  
     in high fidelity electrocardiography, 252, 254  
     unipolar, 304, 874-84  
   intracavity, from hypertrophied right ventricle, 441-47  
   electrocardiographic pathways, 254  
   multiple, in heart disease detection, 561-65  
   precordial, 253-55  
     unipolar, 48-57, 784  
   single, in heart disease detection, 562-65  
   and vectorcardiographic errors, 785  
**Leaflet**, in normal mitral valve, 349-51  
**Leg**  
   arteriosclerosis of, lumbar sympathectomy for, 155



- venous circulation in, after femoral vein interruption, 155  
*See also* Limb
- Leukocyte**, pulmonary circulation as source of, 794
- Leukotomy**, prefrontal, for anxiety and tachycardia, 955
- Levoposition**, of ascending aorta, 136
- Libman-Sacks syndrome**, 311
- Ligation**  
 of carotid artery  
   blood flow response to, 571  
   and cerebrum circulation, 143  
 of coronary artery, 801-09, 812
- Limb**  
 analgesic, angina in, 944  
 ischemic, Priscoline in, 315  
 lower  
   lumbar sympathectomy for arteriosclerosis of, 154, 155  
   vein circulation in, after femoral vein interruption, 155
- Lipid**  
 in blood, and atherosclerosis, 119-34  
 inhibitor of blood coagulation, 182-83  
 metabolism of, and atherosclerosis, 99-100
- Lipid phosphorus**, in serum, in coronary arteriosclerosis, 606-08
- Lipidosis**, minimal and atherogenesis, 113
- Lipoprotein**  
 atherogenic, and dietary fat, 99-100  
 atherosclerosis—associated, and obesity, 514-17  
 level of, and coronary artery disease, 122-26, 129-33  
 in serum, and atherosclerosis, 119-34, 401-06  
 in xanthoma tuberosum, 126-27
- Lipotropic factor**, and atherosclerosis, 106-07
- Liver**  
 blood flow in, 788  
 cirrhotic  
   hepatic circulation in, 419-29  
   hyponatremia in, 632  
 digitoxin in, 499  
 as source of plasma cholesterol, 502
- Low salt syndrome**, in resin therapy, 845
- Lumen**  
 arteriolar, in hypertension, 756-57  
 restoration of, in obstructed artery, 670-79  
 ventricular, 512
- Lung**  
 arteriovenous angiomatosis of, 478  
 arteriovenous fistula of, 624  
 in cardiovascular disease, 630  
 circulation in, and Valsalva-like maneuver, 45  
 digitoxin in, 499  
 edematous  
   alcohol inhalation for, 363-69  
   and intracranial pressure, 824-32  
   neurogenic, 750-64  
   production of, in dog, 789  
 embolism in, 144, 151  
 fibrosis of, with generalized scleroderma, 308  
 hypoxic, blood flow through, 470  
 isolated, oxygenation of blood by, 794  
 positive pressure inflation of, 789  
 tissue of, and right ventricular pressure, 306
- Lupus erythematosus**, 625  
 and Buerger's disease, 311  
 erythrocyte aggregation in, 628  
 plasma L. E. test in, 627  
 systemic, 624
- Lupus erythematosus cell**, 627, 779  
 office procedure for demonstration of, 954
- Lutembacher's syndrome**, and mitral stenosis, 353
- Madness**, myxedematous, 232
- Magnesium**, and arrhythmia due to digitalis, 312
- Malformation**, congenital, of heart, 302-03
- Malignancy**, and thrombosis, 169-70
- Marrow**, 140
- Master two-step test**, in coronary artery disease, 466
- Maximal tubular excretory capacity for glucose**  
 and epinephrine, 93-97  
 and norepinephrine, 93-97
- Mercuryhydrin**  
 diuresis due to, 85-89  
 intramuscular, and serum precipitable iodine, 315
- Mediastinum**, tumor in, simulating left ventricular enlargement, 621
- Melanoma**, 621
- Menstruation**, congestive heart failure preceding, 303
- Mental status**, and cerebral oxygen consumption in pernicious anemia, 233
- Mesoappendix test**, of extracts containing pherentasin, 386
- Metabolism**  
 of brain, and cerebral circulation, 225-34  
 of C<sup>14</sup>-labeled digitoxin, 496-503  
 of cardiac muscle in shock, 307  
 of cholesterol, and thyroid activity, 589-93  
 of lipid, and atherosclerosis, 99-100
- Metachromasia**, 548
- Metastasis**, cerebral, Diodrast study of, 954
- Methacholine**, blood flow response to, 570-76
- Methonium**, compounds of, for hypertension, 141
- Methonium halides**, in high blood pressure, 470
- Metycaine**, 469
- Milk diet**, Karell, 458
- Minute volume**, after intra-arterial histamine, 664
- Mitral valve**  
 insufficiency of, 146, 952  
 and ventricular contraction, 342-45  
   leaflet pattern in, 349-51  
 regurgitation from, as contra-indication to surgery for mitral stenosis, 359  
 stenosis of. *See* Stenosis, mitral
- Monkey**, 478  
 pyridoxine deficient, dietary cholesterol in, 478
- Morgagni-Adams-Stokes syndrome**, with congenital aneurysm of ventricular septum, 725-29
- Morphine**  
 and procaine, 553  
 and procaine amide, 555-56
- Murmur**  
 due to aortopulmonary communication, 858  
 early rheumatic diastolic, 793
- Muscle**  
 calf  
   circulation in, 144  
   clearance from, 595-603  
 cardiac  
   parenchymatous degeneration of, 309  
   in shock, 307  
   *See also* Myocardium  
 in lupus erythematosus, 625  
 papillary, 511-13  
 skeletal, digitoxin in, 499
- Myocardium**  
 behavior of, 307  
 composition of, in congestive failure, 907-14  
 dietary-induced lesions of, and digitoxin, 497, 501  
 fibers of, 507-09  
 infarction of. *See* Infarction, myocardial  
 injury to, during cardiac catheterization, 148  
 insufficiency of, 775  
 ischemic, and ventricular contraction, 337-39  
 after ligation of coronary artery, 812  
 parenchymatous degeneration of, 309  
 and ventricular contraction, 325-27, 345  
 acute, and infection, 628  
 acute isolated, in pregnancy, 310  
 and arachnodactyly, 311  
 granulomatous giant cell, 148  
 syphilitic, 771
- Myocardosis**, in infectious hepatitis, 309
- Myosin B**, phosphorylysis of adenosine triphosphate by, 153
- Myxedema**  
 and cerebral circulation, 232  
 circulation time in, 584  
 in dog, 393-95

- Narcosis**, due to Pentothal, and cerebral metabolism, 233
- Nausea**  
due to 1-hydrazinophthalazine, 836  
after mercurial diuresis, 88  
due to quinidine, 537  
in resin therapy, 848  
and thevetoidin, 14, 15, 16, 17
- Necrosis**  
bilateral cortical of the kidneys, 477  
subendocardial, 190, 193
- Neoplasm**, of peripheral artery, 623
- Neosynephrine**, 25, 356  
for hypotensive states of spinal analgesia, 617
- Nephrotic syndrome**, cation exchange resin in, 632
- Nerve**  
aortic depressor extirpation of, in production of hypertension, 736  
femoral, section of, 571  
in lupus erythematosus, 625  
moderator, section of, in production of canine hypertension, 735-38
- Nervous system**  
central, and pulmonary hypertensive pain, 10  
in circulatory response to cold, 951  
damage to, due to pernicious anemia, 233  
sympathetic, and P-R interval, 704
- Nervousness**, in conversion of auricular fibrillation to sinus rhythm, 537
- Neurinoma**, 621
- Neurosis**  
and P-R interval, 695, 703  
in production of canine hypertension, 732-34
- Newborn**, erythrocytes from, in cyanotic congenital heart disease, 943
- Nicotine**, 454, 885  
antidiuretic effect of, 791  
ballistocardiographic determination of sensitivity to, 885-91
- Nicotinic acid**, and cerebral circulation, 229
- Ninhydrin-phenentasin complex**, absorption spectra of, 386-87
- Nitrogen**, nonprotein, and cerebral metabolism, 229
- Nitroglycerin**  
and flicker fusion frequency, 215-24  
for pulmonary hypertensive pain, 9
- Nitrous oxide**, 929
- Nitrous oxide procedure**, for determination of cerebral circulation, 225-26
- Node**  
auriculoventricular, and reflex vagal stimulation, 83  
sinoauricular, and reflex vagal stimulation, 83
- Noise**, in production of canine hypertension, 733-34
- Nomogram**, for cardiac contractility, 314
- Noradrenaline**, vascular reactivity to after thyroidectomy, 391
- Norepinephrine**, 356  
and blood pressure, 373, 378, 437-40  
bradycardia due to, 375  
and circulation, 370-78  
and circulation in carotid artery, 377  
vs. epinephrine, 370-78  
and heart rate, 373  
and pulmonary arteriolar resistance, 151  
and renal hemodynamics, 91-97  
in surgery for pheochromocytoma, 313
- Novurit**, 780
- Obesity**  
and atherosclerosis, 98, 115, 117  
and cardiac disease, 514-17
- Occlusion**  
arterial, site of, in cerebrovascular thrombo-angiitis obliterans, 686  
of cerebral vessels, 232  
coronary, 137, 174-75, 465, 802-03  
ectopic ventricular activity after, 146  
experimental shock due to, 303  
and ventricular contraction, 337-39  
*See also* Infarction, myocardial  
pulmonary, right ventricular response to, 818-21  
venous, after intra-arterial histamine, 666
- Oligemia**, ventricular contraction pattern in, 329
- Oscillograph**, cathode ray, in high fidelity electrocardiography, 249-55
- Osmotically active base**, in congestive heart failure refractory to mercurial diuresis, 66
- Output, cardiac**. *See* Cardiac output
- Overfeeding**, and experimental atherosclerosis, 105
- Ox heart**, conduction in Purkinje tissue of, 153
- Oxygen**  
availability of, in ischemic heart tissue, 945  
in blood, in anoxemia, 951  
cerebral consumption of, 226, 229  
and cerebral vascular disease, 232  
in eclampsia, 229  
and mental status in pernicious anemia, 233  
effect of, in pulmonary hypertensive pain, 9  
hepatic arteriovenous, 427-29  
for pulmonary edema due to intracranial pressure, 830
- splanchnic consumption of, 427  
in systemic arterial blood, and lung weight-body weight ratio, 830-31
- Oxygenation**, of blood, by isolated lung, 794
- P<sub>32</sub>**, in measurement of renal circulation time, 152
- P wave**, in arteriosclerotic heart disease, 784
- Pacemaker**, artificial, for cardiac standstill, 617
- Pain**  
precordial, and aortic insufficiency, 633  
pulmonary hypertensive, 1-10
- Pancreas**  
carcinoma of, and thrombophlebitis, 169  
and experimental atherosclerosis, 108-10
- Papaverine**  
and cerebral circulation, 230  
cerebral effect of in toxemia of pregnancy, 149  
and nitroglycerin-flicker test, 216
- Paracentesis**, hyponatremia after, 632
- Parasympathomimesis**, and hexamethonium administration, 25
- Paresis**, in cerebrovascular thromboangiitis obliterans, 686
- Paritol**, 166, 181-82
- Parotitis**, complicated by pericarditis and serositis, 632
- Patency**. *See* Ductus arteriosus, patent
- Pectus excavatum**, and heart failure, 782
- Penicillin**  
for syphilis, 776-78  
cardiovascular, 313, 472
- Pentamethonium bromide**, for hypertension, 141, 796
- Pentanediol**, 166
- Pentothal**, 929-30  
narcosis due to, and cerebral metabolism, 233
- Periarteritis nodosa**  
ACTH for, 312  
cortisone for, 618  
hypertensive, 787
- Pericarditis**  
acute benign, 627, 630  
acute nonspecific, 956  
as complication in parotitis, 632  
hemorrhagic, due to bishydroxycoumarin, 137  
with hypopotassemia, electrocardiography in, 140, 305  
tuberculous, streptomycin for, 151, 152
- Pericardium**  
in cardiovascular disease, 630  
effusion into  
and cardiac output, 145  
and circulation time, 626  
and ventricular contraction pattern, 327-28
- Perinephritis**  
due to silk, in production of

- canine hypertension, 734-35
- Periston**, 208-14
- Peritoneoscopy**, air embolism during, 629
- Fernicious anemia**, damage to nervous system due to, 233
- Petit mal**, in thromboangiitis obliterans, 687
- Phenylephrine**, 25  
in auscultation of early rheumatic diastolic murmurs, 793
- Phenylindanedione**, 179
- Pheochromocytoma**  
and postural hypotension, 440  
surgery for, 313  
vasopressor components of, 468
- Pherentasin**, in hypertension, 380-89
- Phlebitis**, and malignancy, and resistance to anticoagulant therapy, 169
- Phlebothrombosis**, postoperative, 473
- Phonocardiography**, 628
- Phosphate**, fecal excretion of, due to exchange resin, 528
- Phospholipid**, ratio of cholesterol to, and atherogenesis, 107-08
- Phosphorus**  
radioactive  
and blood turnover in thoracic surgery, 307  
in measurements of renal circulation time, 152  
serum lipid, in coronary arteriosclerosis, 606-08
- Phosphorylase**, of adenosine triphosphate by myosin B, 153
- Phrenic nerve**, Faradic stimulation of, 793
- P.I.D.** See Phenylindanedione
- Pitressin**, cardiac accidents due to, 616
- Pituitary gland**  
and atherogenesis, 111  
in experimental renal hypertension, 949
- Plaque**, atherosclerotic, in juveniles, 541
- Plasma**  
Ac-globulin, 162  
cholesterol in  
after biliary obstruction, 591, 592  
and thyroid activity, 590-93  
dyscolloidity, 546  
electrolytes in, and Mercurhydrin diuresis for edema, 87-89  
iodine fractions in, and iodide, 649-50, 653-54  
protein in, in rheumatic diseases, 153  
quinidine in, after administration in enteric-coated tablets, 535  
renal flow of  
and epinephrine, 92-97  
and norepinephrine, 92-97  
zeta potential of, 165
- Plasma L. E. test**, 627
- Plasmoid**, 208-14
- Plastic**  
catheter of, 257
- Platelet**  
adhesiveness of, 168-69  
pulmonary circulation as source of, 794  
and thrombus, 168
- Pleura**, in cardiovascular disease, 630
- Pleuritis**, pain due to, 8
- Polarography**, of oxygen availability in ischemic heart tissue, 945
- Poliomyelitis**  
acute anterior, and arterial hypertension, 949  
hypertension in, 142
- Polycythemia**, in cerebral circulation, 231
- Polyvinyl**, catheter of, 257
- Posture**  
and blood pressure, 437-40  
and circulation, 794  
cerebral, 787  
hypotension due to, 31, 836  
effect of hexamethonium on, 21
- Potassium**  
in abolition of extrasystoles due to digitalis, 913  
of body, during resin therapy, 846, 848  
in Carbo-Resin, 532  
in congestive heart failure refractory to mercurial diuretics, 58-73  
death due to deficiency of, 766-70  
dietary  
and blood glycolysis, 950  
and cardiac glycogen, 950  
and digitalis toxicity in heart failure, 311  
excretion of, due to exchange resin, 524-25, 750-51  
in heart muscle, 909-13  
hypokalemia, 140, 305, 766-70  
and Mercurhydrin diuresis for edema, 85-89  
in nomogram for cardiac contractility, 314  
and peripheral vascular reactivity in rat, 412-14, 415-18
- P-R interval**  
and carotid sinus pressure, in angina pectoris, 81-84  
after procaine amide, 556  
short, with normal QRS and paroxysmal tachycardia, 693-704  
and thevetidin, 15, 16
- Precordium**, pain in, and aortic insufficiency, 633
- Pregnancy**  
acute isolated myocarditis in, 310  
body hematocrit in, 631  
with cardiac disability, anesthesia in, 931  
circulating red cell volume in, 631  
complete heart block in, 945  
electrocardiography in, 945  
extracellular fluid in, 624  
with mitral stenosis, water intake in, 145  
with organic heart disease, antepartum care, 955  
toxemia of  
and cerebral circulation, 229  
cerebral effect of papaverine in, 149  
ocular fundi in, 143  
and oral sodium salts, 145  
tetraethylammonium bromide in, 142  
vascular disease in, 473
- Pressor hormone of pituitary extract**, 617
- Pressor response**  
to Arterenol, 438  
in potassium-deficient rat, 412-14  
after potassium administration, 415-18
- Pressor substance**  
in hypertension, 380-89  
See also Pherentasin
- Pressure**  
arterial, and Valsalva-like maneuver, 38-46  
in ascending aorta, 152  
cardiovascular  
during cardiac standstill, 742-46  
and compression of brain, 824-32  
changes in, after right ventricular stress, 817-21  
in femoral artery, after intra-arterial histamine, 665  
hepatic sinusoid, 309  
intracranial, 633  
increase in, and cerebral circulation, 231-32  
and pulmonary edema, 824-32  
intrapericardial, in pericardial tamponade, 518-23  
intrapleural, and Valsalva-like maneuver, 38-46  
intravascular, in pericardial tamponade, 521  
intraventricular, 509-10  
in left atrium, 152  
in left ventricle, 152  
peripheral arterial, in pericardial tamponade, 519  
peripheral venous, and Priscoline, 791  
portal, 309  
pulmonary, in mitral stenosis, 272-77  
pulmonary arterial, in pericardial tamponade, 520-21  
pulmonary "capillary," 144  
in mitral stenosis, 788  
pulmonary "capillary venous," 271-77  
pulmonary vascular, and short-term hypoxia, 263-69  
pulmonary venous, in pericardial tamponade, 520  
right atrial, in pericardial tamponade, 519-20  
right ventricular, and amount of lung tissue, 306  
venous, and muscle clearance, 597-98  
ventricular, 321-22

- Pressure pulse**, ventricular, 321-22
- Priscol**, 476, 616  
See also *Priscoline*
- Priscoline**, 149, 616  
and 1-hydrazinophthalazine, 31  
in ischemic extremities, 315  
and peripheral venous pressure, 791  
and psychosis due to cerebral arteriosclerosis, 314
- Procaine**, 469  
and anesthesia, 935-36  
for auricular flutter, 616  
for ectopic ventricular tachycardia, 551-53, 556, 557  
intravenous, and cerebral circulation, 229
- Procaine amide**  
and anesthesia, 935-36  
for cardiac arrhythmia during surgery, 791  
for ectopic ventricular tachycardia, 554-58
- Pro fibrin**, 163
- Pronestyl**, for ectopic ventricular tachycardia, 554-58
- Propylthiouracil**, 392
- Prostigmin**, 356
- Protamine**, vs. heparin, 166
- Protein**, in plasma, in rheumatic diseases, 153
- Prothrombin**, 162-63  
and dicumarol, 463
- Protodiastole**, 323
- Psoas muscle**, content of, in hypertension, 754-56
- Psyche**, and rheumatic fever, 620
- Psychoneurosis**, and P-R interval, 695, 703
- Psychosis**, due to cerebral arteriosclerosis, effect of *Priscoline* on, 314
- Pteroylglutamic acid**, hypertension due to, 903-06
- Puerperium**  
body hematocrit in, 631  
circulating red cell volume in, 631  
electrocardiography in, 945
- Pulmonary artery**  
aneurysm of, 476  
chest pain due to, 1-10  
electrocardiography of, in pulmonary stenosis, 951  
nerve fibers in, and pulmonary hypertensive pain, 10  
obstruction of, 621-22  
origin of left coronary artery from, 464  
pressure in, 40-44, 144  
during cardiac standstill, 743, 746  
rupture of aortic aneurysm into, 449-53  
in schistosomiasis, 630  
syphilis of, 476  
thrombosis of, 621  
and vascular catheterization, 260
- Pulmonary disease**, 308
- Pulsation**, esophageal, 144
- Pulse**  
contour of, and Valsalva-like maneuver, 41-43  
onset of, and Q wave of lead II, 259
- Pulse pressure**  
diagnostic contour of, in patent ductus arteriosus, 463  
in vascular catheterization, 259-60  
and Valsalva-like maneuver, 41-44
- Pulse wave**, velocity of, 258-61
- Purkinje tissue**  
conduction in, 153
- Purpura**, 923-25
- Pyridoxine**, and cholesterol, 478
- Pyrogen**, experimental lowering of blood pressure by, electrocardiography in, 713-23
- Pyruvic acid**, cerebral, 226
- Q wave**  
in intracavity electrocardiography of hypertrophied right ventricle, 441-47  
in lead II, and onset of the pulse, 259  
in lead III, 468  
in left bundle branch block, 466
- QRS complex**  
in direct epicardial leads, 48-57  
in high fidelity electrocardiography, 250-55  
normal, with short P-R and paroxysmal tachycardia, 693-704  
after procaine amide, 556
- QRS-T complex**, in high fidelity electrocardiography, 254
- Q-T interval**, 139-40, 468  
and thevetoidin, 16
- Quinidine**, 790  
and anesthesia, 935-36  
for auricular flutter, experimental, 864-69  
in enteric-coated tablet, 534-38  
intravenous, in arrhythmia, 312  
ventricular effects of, 865-69
- R wave**, in right ventricular hypertrophy, 446-47
- Rabbit**  
cholesterol-fed alloxanized, serum lipoproteins in, 401-06  
cholesterol-induced atherosclerosis in, 103-13  
spontaneous atherosclerosis in, 641-46
- Radiocarbon**, digitoxin labeled with, 496-503
- Radioiodine**  
hypothyroidism due to, in euthyroid cardiac patients, 947  
in measurement of mitral blood flow, 595
- Radioisotope**, in measurement of nutritive blood flow, 594-603
- Radiophosphorus**  
and blood turnover in thoracic surgery, 307
- in measurement of renal circulation time, 152
- Radiopotassium**, in blood volume determination, 632
- Radiosodium**  
clearance of, 308  
in measurement of mitral blood flow, 595
- Rat**  
digitoxin excretion in, 497-501  
hypertension due to pteroylglutamic acid in, 903-06  
peripheral vascular reactivity of, and potassium, 412-14, 415-18
- Reactive hyperemia**  
clearance rate, 596
- Reactivity**, vascular, and thyroidal function, 390-96, 397-400
- Recumbency**, and diuresis due to intravenous isotonic saline, 792
- Red blood corpuscle**. See *Erythrocyte*
- Reflex heating**, and clearance from distal skin, 598-99, 602
- Reflex stimulation**, of vagus nerve, by carotid sinus pressure, 81-84
- Regitine**, and 1-hydrazinophthalazine, 31
- Regurgitation**  
aortic, 340  
as contraindication to surgery for mitral stenosis, 359  
in syphilitic aortitis, 774-75  
mitral, as contraindication to surgery for mitral stenosis, 359  
in mitral insufficiency, 343-44
- Relaxation**, isometric, 323, 325
- Renal artery**, 142, 305-06  
sodium concentration of, in hypertension, 754, 755  
water content of, in hypertension, 755-56
- Renin substrate**, and renal hypertension, 141
- Reservoir-shunt operation**, for mitral stenosis, 353-54
- Resin, exchange**, 524-32  
for congestive heart failure, 747-53, 842-49  
and Mercurhydrin diuresis, 86  
for nephrotic edema, 618  
in nephrotic syndrome, 632
- Resistance**  
peripheral, in pericardial tamponade, 522  
pulmonary  
in pericardial tamponade, 522  
as right ventricular stress, 818-21  
pulmonary arteriolar, 274  
and norepinephrine, 151  
pulmonary vascular, and anoxia, 952  
vascular  
in essential hypertension, 223  
after sympathectomy, 580-82
- Resodex**, 848



**Respiration**

- after faradic stimulation of phrenic nerve, 793
- after pulmonary hypertensive pain, 8

**Respiratory reflex, 618**

- Restrictions**, in heart disease, 454-60

- Retina**, spasm of vessels of, in cardiovascular disease, 215-16

- Revascularization of heart**, 801-09, 810-15

- Rheumatic disease**, plasma protein in, 153

**Rheumatic fever, 619-21**

- ACTH for, 153
- cortisone for, 153
- heparin tolerance in, 153

- Rheumatic heart disease**, anticoagulant therapy for, 174

**Rhythm**

- cardiac
  - in hyperthyroidism, 140
  - in hypothyroidism, 140
- idioventricular, 333-35
- systolic, amphibian, 150

**Rice diet, 458**

- and blood pressure, 281, 282
- and serum cholinesterase activity, 281, 282

- Rickettsial disease**, vs. thrombocytic acroangiothrombosis, 925

- Rocky Mountain spotted fever**, vs. thrombocytic acroangiothrombosis, 925

**Roentgenology**

- in chronic cor pulmonale, 622
- in pulmonary artery thrombosis, 621

**Rotatokymography, 627****RSR' complex, 784****RS-T segment**

- after anoxemia test, 466
- after two-step test, 466

- Rupture**, of aortic aneurysm into pulmonary artery, 449-53

**Rutin**

- and cutaneous circulation, 313
- for experimental malignant hypertension, 949

**Saline solution**

- isotonic, intravenous infusion of, for diuresis, 792
- as replacement fluid after hemorrhage, 209, 211, 213
- and serum cholinesterase activity, 280-81

**Salt**

- dietary, and 1-hydrazinophthalazine after, 31
- restriction of
  - in experimental renal hypertension, 949

- in heart disease, 457-58
- in hypertensive vascular disease, 458

**Salyrgan, diuresis due to, 149****Sarcoid, Boeck's, 630****Sarcoma, of peripheral artery, 623****Scalenus anticus syndrome, 626**

- Schistosomiasis**, pulmonary artery in, 630

- Schizophrenia**, cerebral circulation in, 229

- Sciatic nerve**, section of, blood flow response to, 571

**Scleroderma**

- cortisone for, 151
- generalized, with pulmonary fibrosis, 308

- Sclerosis**, peripheral, lumbar sympathectomy in, 474

- Seizure**, epileptic, in thromboangiitis obliterans, 687

- Senescence**, and atherosclerosis, 101, 111-12

**Septum**

- aortopulmonary defect of, surgery for, 858-62

- atrial defect of, 782
- composition of, 908-12
- creation of interauricular defect of, for mitral stenosis, 353

- interatrial defect of, 301
- and pulmonary stenosis, 302

- intraventricular defect of, 942
- new microscopic technic for study of, 954

- in right bundle branch block, 310
- ventricular, congenital aneurysmal defect of, 725-29

- Serositis**, as complication in parotitis, 632

**Serum**

- Ac-globulin, 162
- albumin, as replacement fluid after hemorrhage, 209

- carbon dioxide in, and exchange resin, 527, 846-47

**cholesterol in**

- in Aleuts, 627
- and atherosclerosis, 116-17, 120

- in coronary arteriosclerosis, 606-08
- in coronary artery disease, 122-26

- and vascular reactivity, 392
- in xanthoma tuberosum, 126

- cholinesterase activity of, and blood pressure, 279-83

- lipid phosphorus in, in coronary arteriosclerosis, 606-08

- lipoprotein in, and atherosclerosis, 119-34, 401-06

- potassium in, during resin therapy for congestive heart failure, 751

- precipitable iodine after intramuscular Mercuhydrin, 315

- sodium in, 917
- in essential hypertension, 948

- during resin therapy for congestive heart failure, 751
- uric acid in, in coronary heart disease, 137

- vasoconstrictor activity of, 790

- Sex (of patient)**
- and P-R interval, 695
- and serum cholesterol in Aleut, 627

- Sexual function**, and sympathectomy, 786-87

**Shock**

- anaphylactic, electrocardiography in, 946

- in atherogenesis, 539-49
- experimental, due to coronary occlusion, 303

- galvanic, in production of canine hypertension, 733
- metabolism of cardiac muscle in, 307

- and myocardial infarction, 136, 945

- Shoulder-hand syndrome**, after myocardial infarction, 138

**Shunt**

- aortopulmonary, 858-62
- arteriovenous, 668
- intracardiac, localization of, by ether test, 781

- pulmonary, right to left, 795
- pulmonary-azygos, in mitral stenosis, 293-94

- renal, 96, 146

**Sinoauricular node**, and reflex

- vagal stimulation, 83

**Sinus**, carotid. *See* Carotid sinus**Sinus rhythm**, conversion of auricular fibrillation to, 537**Sinusoid**, hepatic, pressure in, 309**Sleep**, natural, and cerebral circulation, 230**Sleeplessness**, in conversion of auricular fibrillation to sinus rhythm, 537**Sludging**, and thrombus, 167**Smoking**

- antidiuretic effect of, 791
- ballistocardiographic determination of nicotine sensitivity, 885-91

- and heart disease, 454-55
- and platelet adhesiveness, 168
- and thromboangiitis obliterans, 477, 680, 682, 685, 687-89

**Sodium**

- depletion of, in resin therapy, 845, 848
- dietary, in resin therapy, 847-48
- excretion of, due to exchange resin, 524-30, 747-53
- in heart muscle, 909-913
- hyponatremia, 58-73, 632
- and Mercuhydrin diuresis for edema, 85-89

**radioactive**

- clearance of, 308
- in measurement of mitral blood flow, 595
- renal clearance of, in Goldblatt hypertensive dogs, 142

- restriction of, in heart disease, 457
- in serum, in essential hypertension, 948
- total body, 631, 915-19
- and age of patient, 629

**Sodium amytal, 281****Sodium bicarbonate**, oral, and toxemia of pregnancy, 145**Sodium chloride**, oral, and toxemia of pregnancy, 145**Sodium Evipan, 625****Sodium space**, 915-19

**Sounds, cardiac**  
fifth, 793  
tripartition of, in complete A-V block, 792

**Space, sodium, 915-19**

**Spasm**  
cerebral vascular, 228  
of retinal vessels in cardiovascular disease, 215-16

**Species difference**  
and experimental atherosclerosis, 112  
in storage of cardiac digitoxin, 501

**Spinal anesthesia, 930**  
hypotensive, 617, 950

**S-T segment, and thevetoidin, 14**

**Stairs, ascent of, 455**

**Standing, motionless, in cerebral circulation, 231**

**Standstill, cardiac**  
artificial pacemaker for, 617  
calcium chloride for, 618  
due to stimulation of carotid sinus, 742-46

**Starvation, and dicumarol, 184**

**Stasis, and thrombus, 167**

**Stenosis**  
aortic, 331  
electrocardiography in, 783  
of coronary ostia, due to syphilitic aortitis, 774  
mitral, 349-62, 619  
anastomosis of inferior pulmonary vein to azygos vein for, 353  
anesthesia for commissurotomy, 154  
cardiac denervation for, 352-53  
cardiac index in, 43  
clinical classification of, 359-60  
congenital, 943  
creation of interauricular septal defect for, 353  
direct epicardial electrocardiography in, 52  
intrathoracic blood volume in, 952  
life cycle of patients with, 357-59  
morphologic classification of, 351-52  
pathogenesis of, 147-48  
in pregnancy, and water intake, 145  
pulmonary "capillary" pressure in, 788  
pulmonary hypertension in, 153  
and pulmonary hypertensive pain, 1, 8  
pulmonary vascular, 271-77  
reservoir-shunt operation for, 353-54  
surgery for, 154, 290-98, 352-57  
and Valsalva-like maneuver, 38-46  
valvuloplasty for, 354-56  
pulmonary  
electrokymography of pulmonary artery in, 951  
with intact interventricular septum, 135

isolated, 464  
with large interatrial septal defect, 302  
ventricular contraction pattern in, 333  
pure pulmonic, surgery for, 781, 795  
tricuspid, as contraindication to surgery for mitral stenosis, 360

**Stenotomy, 295**

**Sternum, depression of, heart in, 302**

**Steroid, adrenal, and atherogenesis, 111**

**Sterol, excretion of, 657-59**

**Stilbestrol, atherosclerosis due to, in chick, 103**

**Stimulation**  
faradic, of phrenic nerve, 793  
reflex, of vagus nerve, 81-84

**Strain, right heart, in congenital heart disease, 946**

**Straining, and circulation, 38-46**

**Streptococcus hemolyticus, 620**

**Streptomycin, for tuberculous pericarditis, 151, 152**

**Stress, right ventricular response to, 816-23**

**Stroke volume, and intrapericardial pressure in pericardial tamponade, 522**

**Strophanthin, 780**

**Sulfate, fecal excretion of, due to exchange resin, 528**

**Supersensitivity, of denervated digital blood vessels, 955**

**Surgery**  
anesthesia in heart disease, 927-36  
for aortopulmonary defect, 858-62  
cardiovascular, 623  
for coronaritis, 944  
endarterectomy, 670-79  
for mitral stenosis, 154, 290-98, 352-57  
contraindications, 296, 359-60  
selection of patients, 356, 361  
peripheral circulation during, 795  
for pheochromocytoma, 313  
for pulmonary stenosis, with intact interventricular septum, 135  
for pure pulmonic stenosis, 781, 795  
and renal function, 788  
thoracic  
blood changes in, 146  
blood volume changes in, 307  
cardiac arrhythmia during, 791

**Sympathectomy**  
bilateral cervicodorsal, for mitral stenosis, 352  
cardiac, ectopic ventricular activity after, 146  
cerebral circulation after, 787  
for high diastolic hypertension, 948  
lumbar  
for arteriosclerosis of leg, 155  
and intermittent claudication, 602

in peripheral sclerosis, 474  
lumbodorsal, 1-hydrazinophthalazine after, 31  
and sexual function, 786-87  
and T wave, 722

**Sympathetic block, and clearance from calf muscle, 600-03**

**Synchronization, auriculoventricular, and Wolff-Parkinson-White syndrome, 947**

**Synovia, in lupus erythematosus, 625**

**Syphilis**  
abdominal aortic, aneurysm due to, 288-89  
aortitis due to, specific treatment of, 771-78  
cardiovascular  
Jarisch-Herxheimer reaction in, 314, 472  
penicillin for, 313, 472  
cerebral ischemia due to, 233  
myocarditis due to, 771  
penicillin for, 776-78  
of pulmonary artery, 476

**Systole**  
left ventricle during, 504-05  
mechanical, 323, 324

**T wave**  
after anoxemia test, 466  
in pulmonary hypertensive pain, 9  
and sympathectomy, 722  
after two-step test, 466

**Tachycardia**  
ectopic ventricular, procaine vs. procaine amide for, 551-58  
due to nicotine, 887  
due to 1-hydrazinophthalazine, 31, 836  
paroxysmal,  
with short P-R and normal QRS, 693-704  
and thevetoidin, 16  
and Wolff-Parkinson-White syndrome, 468  
paroxysmal auricular  
quinidine in enteric-coated tablet for, 537  
and thevetoidin, 17  
prefrontal leukotomy for, 955  
in surgery for mitral stenosis, 356  
ventricular, 792  
during anesthesia, 936  
during cyclopropane anesthesia, 928  
treatment of, 617

**Tamponade**  
cardiac, 313  
pericardial, experimental, 512-23

**Tape, in occlusion of abdominal aneurysm, 475**

**Tetraethylammonium**  
and cholinesterase activity, 617

**Tetraethylammonium bromide**  
and blood pressure, 312  
in toxemia of pregnancy, 142

**Tetraethylammonium chloride**  
and blood pressure, 281-82  
hypotensive effect of, 950  
lowering of blood pressure by electrocardiography in, 720-21



- and serum cholinesterase activity, 281-82  
vascular reactivity to, 394, 395  
after thyroidectomy, 391-92
- Tetralogy of Fallot, 942**  
direct epicardial electrocardiography in, 49-51  
electrocardiography in, 138  
and transplantation of subclavian artery, 301
- Tetrammonium, 471**
- Thevetin, 18**
- Thevetoidin, 12-18**
- Thiocyanate, for high diastolic hypertension, 948**
- Thiopental**  
anesthesia due to, and cerebral circulation, 230  
and renal function, 788
- Thiouracil, hypothyroidism due to, and cholesterol metabolism, 589-93**
- Thoracoplasty, cor pulmonale after, 950**
- 336 HC, 471**
- Thrombin, 162, 163**  
autocatalytic formation of, 941
- Thromboangiitis obliterans**  
cerebrovascular, 680  
platelet adhesiveness in, 168  
and tobacco, 477
- Thrombocytic acroangiothrombosis, 920-26**
- Thrombocytopenia, 925**
- Thrombocytopenic purpura, idiopathic, vs thrombocytic acroangiothrombosis, 923-24**
- Thrombokinas, 163**
- Thrombophilia, essential, 171**
- Thrombophlebitis**  
and carcinoma of pancreas, 169  
intravenous infusion as cause of, 796  
platelet adhesiveness in, 168
- Thromboplastin, 162, 163**  
intravenous infusion of and heparin tolerance, 780
- Thrombosis, 161-84**  
cerebrovascular, in Buerger's disease, 680-89  
coronary  
anticoagulant therapy for, 174-75  
in chronic peptic ulcer, 137  
See also Infarction, myocardial; Occlusion, coronary  
deliberate, of intracranial arterial aneurysm, 476  
familial tendency to, 170-71  
of pulmonary artery, 621  
spontaneous, of internal carotid artery, 796  
treatment of, 173-75  
venous, electrical prevention of, 151
- Thrombus, hyaline, 925**
- Thyroid gland**  
and cholesterol metabolism, 589-93  
action of iodide in, 649-54  
function of, and vascular reactivity, 390-96, 397-400
- Thyroid hormone, and experimental atherogenesis, 108**
- Thyroidectomy, and vascular reactivity, 391-92**
- Tilt**  
and blood pressure, 437-40  
and cerebral circulation, 787  
twenty degree head-up, and cerebral arterial pressure, 229
- Time scale, expanded, in high fidelity electrocardiography, 249**
- Tissue**  
cholesterol in, and iodide, 649  
digitoxin distribution in, 499-503  
ischemic, oxygen availability in, 945  
sodium content of, in hypertension, 754-58
- Tobacco**  
ballistocardiographic determination of nicotine sensitivity, 885-91  
and thromboangiitis obliterans, 477, 680, 682, 685, 687-89
- Tobacco angina, 454**
- Tocopherol, for postoperative thromboembolism, 473**
- Toe**  
blood flow through, and lumbar sympathetic block, 600  
great, circulation in, after sympathectomy for hypertension, 577-82
- Tolerance**  
to hexamethonium, 839  
to 1-hydrazinophthalazine, 839
- Tone**  
cerebral vascular, and cerebral metabolism, 231  
vascular, in essential hypertension, 228  
vasoconstrictor, 594
- Toxemia of pregnancy**  
and cerebral circulation, 229  
cerebral effect of papaverine in, 149  
ocular fundi in, 143  
and oral sodium salts, 145  
tetraethylammonium bromide in, 142
- Toxicity**  
of combined action of cardiotoxic drugs, 314  
of crystalline khellin, 854-56  
of digitalis, in congestive heart failure, and potassium, 311  
of digitalis preparations, 202-07
- Toxoplasmosis, vs. thrombocytic acroangiothrombosis, 925**
- Trabeculae carneae, 511-13**
- Transmission, neuromuscular, 619**
- Treburon, 462**
- Tremor, somatic, as electrocardiographic complication, 785**
- Tricardiography, 408-11**
- Tricuspid valve, stenosis of, as contraindication to surgery for mitral stenosis, 360**
- Trihedron, trirectangular, spatial vector-cardiogram based on, 237-47**
- Trilogy of Fallot, 942**
- Triton A 20, 475**
- Tromexan, 175-79**  
and platelet adhesiveness, 168
- Truncus, incomplete inverse torsion of, 782**
- Tubular excretory capacity. See Maximal tubular excretory capacity**
- Tumor**  
arteriography in, 621  
glomus, 473  
mediastinal, simulating left ventricular enlargement, 621  
metastatic, cerebral, 954
- Tween 80, 475**
- Two-step test, in coronary artery disease, 466**
- Typhoid vaccine, experimental lowering of blood pressure by, electrocardiography in, 713-23**
- Typhus, vs. thrombocytic acroangiothrombosis, 925**
- Ulcer, peptic, coronary thrombosis in, 137**
- Unconsciousness, and cerebral circulation, 226**
- Undernutrition**  
and dicumarol, 184  
and experimental atherosclerosis, 104
- Urecholine, 22**
- Uremia, and cerebral metabolism, 229**
- Uric acid, in serum, in coronary heart disease, 137**
- Urine**  
digitoxin excretion in, 497-501  
sodium excretion in, after exchange resin, 525, 527  
vasodilator effect of, 573
- Urticaria, due to 1-hydrazinophthalazine, 836**
- Vagotomy**  
for bradycardia due to intracranial pressure 829  
and pulmonary edema, 830
- Vagus nerve**  
block of, by quinidine, 868  
and epinephrine, 375  
and norepinephrine, 375  
reflex stimulation of, due to carotid sinus pressure, 81-84  
section of, blood flow response to, 571
- Valsalva-like maneuver, and circulation, 38-46**
- Valve**  
aortic  
insufficiency of, 633  
and regurgitation, 340-42, 359  
calcification of, as contraindication to surgery for mitral stenosis, 360  
cardiac, and ventricular contraction, 339-40  
mitral. See Mitral Valve
- Valvuloplasty, finger-fracture, 295, 353, 354**
- Valvulotomy, 354**